

## MARLOW soft shackles

### New Soft shackles

Made with a 12-strand high-strength braid without cover. In comparison with traditional steel shackles, fabric shackles offer excellent pull under load with reduced weight and are easier to release when no load is applied. To be used to fix sheets, halyards, blocks and rigging in general.

Code	Ø mm	Breaking load kg	Length mm
08.300.03	3	1000	150
08.300.04	4	2000	170
08.300.05	5	2250	160
08.300.06	6	4500	300
08.300.08	8	8700	450

The length indicated refers to the soft shackle when open.

### Soft shackle

Soft shackles are hand-made with a Marlow D12 Dyneema SK78 line without cover. In comparison with traditional steel shackles, fabric shackles offer excellent pull with reduced weight. Available colour: black.

Code	Ø mm	Breaking load kg		Length mm	
08.310.04	4	2370	5.5	200	2
08.310.06	6	4010	9	300	2
08.310.07	7	6160	14.9	350	2
08.310.09	9	7980	27.4	450	2

The length indicated refers to the soft shackle when open.

### OSCVATI



### Marlow



## Shackles

### OSCVATI

### Galvanised steel D-Shackles

Fine finish and high quality threads, heavy galvanization.

Code	Pin mm	Ø d mm	A mm	L mm	
08.320.05	5	5	10	20	10
08.320.06	6	6	13	25	10
08.320.08	8	8	16	32	10
08.320.10	10	10	19	38	10
08.320.12	12	12	25	51	10
08.320.14	14	14	28	58	-
08.320.16	16	16	32	64	-
08.320.20	20	20	38	76	-
08.320.25	25	25	51	100	-



### Galvanised steel bow shackle


Its shape makes it deal to be used with thimbles.

Code	Pin mm	Ø d mm	A mm	L mm	
08.329.06	6	6	13	25	20
08.329.08	8	8	16	32	10
08.329.10	10	10	19	38	10
08.329.12	12	12	25	51	-
08.329.14	14	14	28	58	-
08.329.16	16	16	32	64	-
08.329.20	20	20	38	76	-
08.329.25	25	25	51	100	-




**Stainless 'D' Shackles AISI 316****AISI 316**Polished **AISI 316 stainless steel**. Forged and mirror polished.

Code	A mm	B mm	D mm	L1 mm	ORDER BY BOX
08.321.04	4	8	8	16	10
08.321.05	5	10	10	20	10
08.321.06	6	12	12	24	10
08.321.08	8	16	16	32	10
08.321.10	10	20	20	40	10
08.321.12	12	24	24	48	-
08.321.14	14	28	28	56	-
08.321.16	16	32	32	64	-
08.321.19	19	38	38	76	-
08.321.22	22	45	47	104	-

**Stainless Bow shackles****AISI 316**Made of mirror polished **AISI 316 stainless steel**; fine finish, sliding thread.


Code	A mm	B mm	R mm	L1 mm	ORDER BY BOX
08.421.04	4	8	14	19	10
08.421.05	5	10	17	20	10
08.421.06	6	12	21	24	10
08.421.08	8	16	28	32	10
08.421.10	10	20	34	40	10
08.421.12	12	24	42	48	-
08.421.14	14	28	50	56	-
08.421.16	16	32	56	64	-
08.421.19	19	38	66	87	-
08.421.22	22	44	78	99	-

**Long 'D' shackles****AISI 316**Made of forged, mirror polished **AISI 316 stainless steel**, excellent finish.


Code	A mm	B mm	D mm	L2 mm	ORDER BY BOX
08.323.04	4	8	8	32	10
08.323.05	5	10	10	40	10
08.323.06	6	12	12	48	10
08.323.08	8	16	16	64	10
08.323.10	10	20	20	80	-
08.323.12	12	24	24	96	-

**'D' Shackles with captive pin****AISI 316**


D-shaped model.



Code	A mm	B mm	D mm	L1 mm	ORDER BY BOX
08.220.04	4	8	9	16	10
08.220.05	5	10	10	20	10
08.220.06	6	12	12	24	10
08.220.08	8	16	16	32	10
08.220.10	10	20	20	40	10
08.220.12	12	24	24	48	-
08.220.14	14	28	28	46	-

**Bow shackles with captive pin****AISI 316**Polished **AISI 316 stainless steel**. Forged and mirror polished.

Code	A mm	B mm	D mm	L1 mm	ORDER BY BOX
08.221.04	4	8	9	16	10
08.221.05	5	10	10	20	10
08.221.06	6	12	12	24	10
08.221.08	8	16	16	32	10
08.221.10	10	20	20	40	-
08.221.12	12	24	24	48	-

**Long 'D' shackles with captive pin****AISI 316**Polished **AISI 316 stainless steel**. Forged and mirror polished.

Code	A mm	B mm	D mm	L1 mm	ORDER BY BOX
08.222.05	5	10	10	40	10
08.222.06	6	12	12	48	10
08.222.08	8	16	16	64	10
08.222.10	10	20	20	80	-
08.222.12	12	24	24	96	-

**Wide jaw 'D' shackles**Made of mirror polished, forged **AISI 316 stainless steel**.

Code	Ø d mm	A mm	L mm	ORDER BY BOX
08.325.05	5	25	22,5	10
08.325.06	6	24	36	10
08.325.08	8	28	35	10
08.325.10	10	40	60	5
08.325.12	12	48	72	5

**Long 'D' Shackles with captive locking pin**

**AISI 316** Made of investment cast **AISI 316 stainless steel**.

With stop bar	Standard	Ø D mm	A mm	L mm	L1 mm
08.764.05	08.763.05	5	12	40	12
08.764.06	08.763.06	6	15	46	15
08.764.08	08.763.08	8	20	64	20



**Twisted bow shackles**

Made of forged **AISI 316 stainless steel**, very sturdy, excellent finish, long torsion.


Code	Ø A mm	B mm	L1 mm	ORDER BY BOX
08.856.04	4	9	22	10
08.856.05	5	12	28	10
08.856.06	6	13	34	10
08.856.08	8	17	41	10
08.856.10	10	21	47	-
08.856.12	12	25	60	-



**Stainless Strip Shackles (D-form)**

Made of printed sheet mirror polished **stainless steel**, excellent finish.

Code	Version	Pin Ø mm	Length H mm	Width B mm	ORDER BY BOX
08.865.04	Long	4	25	10	10
08.865.05	Long	5	39	16	10
08.865.06	Long	6	43	14	10
08.865.08	Long	8	42	18	10
08.765.04	Short	4	17	10	10
08.765.05	Short	5	20	12	10
08.765.06	Short	6	26	15	10



**Multipurpose tools**

**Multi-purpose tool made of AISI 316 stainless steel**

Ideal to open/close shackles.

Code	Description
08.360.06	Suitable as unshackle device and as bottle opener.



**Hooks**

**Snap-hooks with screw opening**

Made of **AISI 316 stainless steel**, very sturdy.

Code	D mm	L mm	B mm	S mm	ORDER BY BOX
08.874.35	3,5	29	10	4,5	10
08.874.40	4	32	12	5,5	10
08.874.50	5	39	13	6,5	10
08.874.60	6	45	14	7,5	10
08.874.80	8	58	18	9,5	10
08.874.10	10	69	22	12	10



**Delta snap-hooks with screw opening**

Made of **AISI 316 stainless steel**.

Code	A mm	B mm	C mm	D mm	E mm
08.875.03	3,5	35	33	4,5	4,5
08.875.04	4,5	50	30	6,2	6,2
08.875.06	6	55	35	8	10



**Swivels**

**Swivels**

Made of **stainless steel** with slip off pins and ring.

Code	Swivelling fork mm
08.070.05	10x15
08.070.06	13x15



**Swivels with rotating fitting**

Made of **heavy stainless steel**.

Code	Internal length mm	Centre distance mm	Pins mm	Breaking load kg
08.071.08	14	42	8	1800

