



## Classic Evo & New Edge deck showers



## Showers and deck showers

### Classic Evo deck shower with Tiger stainless steel shower head



Stainless steel shower head, UV-resistant ASA white housing.

White lid RETAIL (1pcs)	White lid BULK (10pcs)	SS lid RETAIL (1pcs)	mm		Hose	Hose m
			recess	outer dimensions		
15.163.00	15.163.00BU	15.163.70	Ø70x44	Ø95	Net PVC	2,5
15.163.01	15.163.01BU	15.163.71	Ø70x44	Ø95	Net PVC	4
15.163.30	15.163.30BU	15.163.80	Ø70x44	Ø95	SS	2,5
15.163.31	15.163.31BU	15.163.81	Ø70x44	Ø95	SS	4
15.163.60	15.163.60BU	15.163.90	Ø70x44	Ø95	White nylon	2,5
15.163.61	15.163.61BU	15.163.91	Ø70x44	Ø95	White nylon	4

15.290.55 Hose bag (option)



### New Edge deck shower with Tiger stainless steel shower head



Stainless steel shower head, UV-resistant ASA white housing.

White lid RETAIL (1pcs)	White lid BULK (10pcs)	SS lid RETAIL (1pcs)	mm		Hose	Hose m
			recess	outer dimensions		
15.164.00	15.164.00BU	15.164.70	Ø70x40,5	88x95	Net PVC	2,5
15.164.01	15.164.01BU	15.164.71	Ø70x40,5	88x95	Net PVC	4
15.164.30	15.164.30BU	15.164.80	Ø70x40,5	88x95	SS	2,5
15.164.31	15.164.31BU	15.164.81	Ø70x40,5	88x95	SS	4
15.164.60	15.164.60BU	15.164.90	Ø70x40,5	88x95	White nylon	2,5
15.164.61	15.164.61BU	15.164.91	Ø70x40,5	88x95	White nylon	4

15.290.55 Hose bag (option)



### Classic Evo deck shower with Mizar push-button shower



Chromed brass shower head, UV-resistant ASA white housing.

White lid RETAIL (1pcs)	White lid BULK (10pcs)	Chromed lid RETAIL (1pcs)	Chromed lid BULK (10pcs)	SS lid RETAIL (1pcs)	mm		Hose	Hose m
					recess	outer dimensions		
15.250.00	15.250.00BU	15.250.06	15.250.06BU	15.250.70	Ø70x44	Ø95	Net PVC	2,5
15.250.01	15.250.01BU	15.250.07	15.250.07BU	15.250.71	Ø70x44	Ø95	Net PVC	4
-	-	15.150.06	15.150.06BU	15.250.80	Ø70x44	Ø95	SS	2,5
-	-	15.150.07	15.150.07BU	15.250.81	Ø70x44	Ø95	SS	4
15.250.60	15.250.60BU	-	-	15.250.90	Ø70x44	Ø95	White nylon	2,5
15.250.61	15.250.61BU	-	-	15.250.91	Ø70x44	Ø95	White nylon	4

15.290.55 Hose bag (option)



Classic EVO deck shower for bulkhead mounting with Mizar push-button shower



Chromed brass shower head, UV-resistant ASA white housing.

White lid RETAIL (1pcs)	White lid BULK (10pcs)	Chromed lid RETAIL (1pcs)	Chromed lid BULK (10pcs)	SS lid RETAIL (1pcs)	←→  mm		Hose	Hose m
					recess	outer dimensions		
15.250.03	15.250.03BU	15.250.09	15.250.09BU	15.250.73	Ø70x44	Ø95	Net PVC	2,5
15.250.04	15.250.04BU	15.250.10	15.250.10BU	15.250.74	Ø70x44	Ø95	Net PVC	4
-	-	15.150.09	15.150.09BU	15.250.83	Ø70x44	Ø95	SS	2,5
-	-	15.150.10	15.150.10BU	15.250.84	Ø70x44	Ø95	SS	4
15.250.63	15.250.63BU	-	-	15.250.93	Ø70x44	Ø95	White nylon	2,5
15.250.64	15.250.64BU	-	-	15.250.94	Ø70x44	Ø95	White nylon	4

15.290.56 Hose bag (option)



New Edge deck shower with Mizar push-button shower



Chromed brass shower head, UV-resistant ASA white housing.

White lid RETAIL (1pcs)	White lid BULK (10pcs)	Chromed lid RETAIL (1pcs)	Chromed lid BULK (10pcs)	SS lid RETAIL (1pcs)	←→  mm		Hose	Hose m
					recess	outer dimensions		
15.243.00	15.243.00BU	15.243.06	15.243.06BU	15.243.70	Ø70x40,5	88x95	Net PVC	2,5
15.243.01	15.243.01BU	15.243.07	15.243.07BU	15.243.71	Ø70x40,5	88x95	Net PVC	4
-	-	15.143.06	15.143.06BU	15.243.80	Ø70x40,5	88x95	SS	2,5
-	-	15.143.07	15.143.07BU	15.243.81	Ø70x40,5	88x95	SS	4
15.243.60	15.243.60BU	-	-	15.243.90	Ø70x40,5	88x95	White nylon	2,5
15.243.61	15.243.61BU	-	-	15.243.91	Ø70x40,5	88x95	White nylon	4

15.290.55 Hose bag (option)





**New Edge deck shower with Boris shower head**



Plastic shower head with chromed head, UV-resistant ASA housing.

white with white housing RETAIL (1pcs)	white with white housing BULK (10pcs)	chromed with white housing RETAIL (1pcs)	chromed with white housing BULK (10pcs)	SS with white housing RETAIL (1pcs)	black with black housing RETAIL (1pcs)	mm		Hose	Hose m
						recess	outer dimensions		
15.248.00	15.248.00BU	15.248.06	15.248.06BU	15.248.70	15.248.56	Ø70x40.5	88x95	Net PVC	2.5
15.248.01	15.248.01BU	15.248.07	15.248.07BU	15.248.71	15.248.57	Ø70x40.5	88x95	Net PVC	4
-	-	15.148.06	15.148.06BU	15.248.80	-	Ø70x40.5	88x95	SS	2.5
-	-	15.148.07	15.148.07BU	15.248.81	-	Ø70x40.5	88x95	SS	4
15.248.60	15.248.60BU	-	-	15.248.90	-	Ø70x40.5	88x95	White nylon	2.5
15.248.61	15.248.61BU	-	-	15.248.91	-	Ø70x40.5	88x95	White nylon	4



**New Edge deck shower with Niagara shower head**



Chromed ABS shower head with, UV-resistant ASA white housing.

White lid RETAIL (1pcs)	White lid BULK (10pcs)	Chromed lid RETAIL (1pcs)	mm		Hose	Hose m
			recess	outer dimensions		
15.160.01	15.160.01BU	15.160.20	Ø70x40.5	88x95	Net PVC	2.5
15.160.02	15.160.02BU	15.160.21	Ø70x40.5	88x95	Net PVC	4
15.160.30	15.160.30BU	15.160.50	Ø70x40.5	88x95	SS	2.5
15.160.31	15.160.31BU	15.160.51	Ø70x40.5	88x95	SS	4
15.160.60	15.160.60BU	-	Ø70x40.5	88x95	White nylon	2.5
15.160.61	15.160.61BU	-	Ø70x40.5	88x95	White nylon	4

15.290.55 Hose bag (option)



# Nuvola & Elissa deck shower



**OSCOLATI**

## Nuvola deck shower with Keji shower head


**STAINLESS LOOK**

**REGISTERED DESIGN / DISEGNO DEPOSITATO**

Housing with AISI316 stainless steel insert. Inclined at 45° for flat or vertical mounting. Fitted with Keji oversized shower head and anti-limescale sprayer.



Code RETAIL (1pcs)	mm		Hose	Hose m
	recess bore	outer dimensions		
15.275.01	90x70	120x100	Net PVC	2,5
15.275.02	90x70	120x100	Net PVC	4
15.275.11	90x70	120x100	SS	2,5
15.275.12	90x70	120x100	SS	4
15.275.21	90x70	120x100	White nylon	2,5
15.275.22	90x70	120x100	White nylon	4



**Elissa deck shower with Tiger shower head****AISI 316**

AISI316 stainless steel housing with self-supporting lid. Fitted with Tiger stainless steel shower head and inside anti-vibration rubber washer.

Code RETAIL (1pcs)	←→  mm		Hose	Hose m
	recess bore	outer dimensions		
15.303.00	90x70	118x97	Net PVC	2,5
15.303.01	90x70	118x97	Net PVC	4
15.303.30	90x70	118x97	SS	2,5
15.303.31	90x70	118x97	SS	4
15.303.60	90x70	118x97	White nylon	2,5
15.303.61	90x70	118x97	White nylon	4

**OSCULATI****Elissa deck shower with Keji shower head****AISI 316****REGISTERED DESIGN / DISEGNO DEPOSITATO**

AISI316 stainless steel shower housing with self-supporting lid. Fitted with Keji overdimensioned shower head and inside anti-vibration rubber washer.

Code RETAIL (1pcs)	←→  mm		Hose	Hose m
	recess bore	outer dimensions		
15.304.00	90x70	118x97	net PVC	2,5
15.304.01	90x70	118x97	net PVC	4
15.304.30	90x70	118x97	SS	2,5
15.304.31	90x70	118x97	SS	4
15.304.60	90x70	118x97	white nylon	2,5
15.304.61	90x70	118x97	white nylon	4

**OSCULATI****Elissa deck shower with Keji II Continuum Flow shower head****AISI 316****CONTINUUM FLOW****REGISTERED DESIGN /  
DISEGNO DEPOSITATO**

AISI316 stainless steel shower housing with self-supporting lid. Fitted with Keji II Continuum Flow overdimensioned shower head and inside anti-vibration rubber washer.

Code RETAIL (1pcs)	←→  mm		Hose	Hose m
	recess bore	outer dimensions		
15.305.00	90x70	118x97	Net PVC	2,5
15.305.01	90x70	118x97	Net PVC	4
15.305.30	90x70	118x97	SS	2,5
15.305.31	90x70	118x97	SS	4
15.305.60	90x70	118x97	White nylon	2,5
15.305.61	90x70	118x97	White nylon	4

**OSCULATI**


**OSCULATI**



**ELEGANT deck shower with MIZAR push-button shower head**

Chromed brass shower head, white UV-resistant ASA housing, 45-mm recess.

White	mm		Hose	Hose m	Spare shower head
	recess	outer dimensions			
15.246.00	Ø 70x41,5	98,5x106	Net PVC	2,5	15.242.02
15.246.01	Ø 70x41,5	98,5x106	Net PVC	4	15.242.02




**OSCULATI**



**Elegant deck shower for bulkhead mounting with Mizar push-button shower head**

Chromed brass shower head, white UV-resistant ASA housing, 45-mm recess.

white	mm		Hose	Hose m	Spare shower head
	recess	outer dimensions			
15.246.03	Ø 70x41,5	98,5x106	Net PVC	2,5	15.242.02
15.246.04	Ø 70x41,5	98,5x106	Net PVC	4	15.242.02



**OSCULATI**



**Deck shower with Mizar push-button shower head for bulkhead installation**

Made of chromed brass, fitted with recess-fit white UV-resistant ASA bracket and white PVC watertight lid, 45-mm recess.

white	mm		Hose	Hose m	Spare shower head
	recess	outer dimensions			
15.245.00	54	84	Net PVC	2,5	15.242.02
15.245.01	54	84	Net PVC	4	15.242.02

**OSCULATI**



**Deck shower with Mizar push-button shower head**

Made of chromed brass, fitted with recess-fit UV-resistant ASA bracket and white PVC watertight lid, 45-mm recess.

white	Base finish		mm		Hose	Hose m	Spare shower head
	chromed		recess	outer dimensions			
15.242.00	15.244.00		54	84	Net PVC	2,5	15.242.02
15.242.01	15.244.01		54	84	Net PVC	4	15.242.02






**Deck shower with mixer**

Chromed brass tap with ceramic mixer. Recess-fit white UV-resistant ASA housing.

White	Housing type	housing mm		Hot/cold water mixer
		recess	outer dimensions	
17.239.10	New Edge	Ø70x40,5	88x95	17.051.00
17.239.50	Classic EVO	Ø70x44	Ø95	17.051.00




▲17.239.10



▲17.239.10



▲17.239.50



▲17.239.50


**OSCULATI**

▲17.239.50

**Nuvola deck shower with mixer****STAINLESS LOOK**



Chromed brass tap with ceramic mixer. ASA housing with AISI316 stainless steel insert.

Code	mm	
	recess	outer dimensions
15.239.60	90x70	120x100

**OSCULATI****Elissa deck shower with mixer****AISI 316**

AISI316 stainless steel housing with self-supporting lid. Fitted with cylindrical knob mixer.

Code	mm	
	recess	outer dimensions
17.239.90	90x70x46	118x97

**OSCULATI****Bag for shower hose**

Convenient plastic-mesh bag made for the hose of the below-deck shower to prevent getting entangled in the other equipment and making it impossible to extract the shower head. Easy to fasten and adapt to all situations.

Code	To be used with deck showers	Mounting
15.290.55	<b>Classic EVO single</b> , horizontal mounting, Mizar deck shower: 15.250.00/01/06/07; 15.150.06/07;	To be snapped in and/or glued
	<b>New Edge single</b> , horizontal mounting, Mizar and Niagara deck shower: 15.243.00/01/06/07; 15.143.06/07; 15.160.xx;	
	<b>Oval double</b> , Mizar deck shower: 15.240.01/02/30/31; 15.140.30/31; 15.241.01/02;	
	<b>New Edge double</b> , Mizar deck shower: 15.257.01/02/30/31; 15.257.41/42.	
15.290.56	<b>Classic EVO single</b> , bulkhead mounting, Mizar deck shower: 15.250.03/04/09/10; 15.150.09/10.	To be screwed



▲15.290.55

▲15.290.56

**OSCULATI**

▲15.290.55

▲15.290.56



Oval deck shower with Mizar mixer and push-button shower head



Chromed brass shower and white UV-resistant ASA housing. Fitted with hot/cold water mixer. Flat or bulkhead mounting.

White lid RETAIL (1pcs)	White lid BULK (10pcs)	Chromed lid RETAIL (1pcs)	Chromed lid BULK (10pcs)	mm		Hose	Hose m
				recess	outer dimensions		
15.240.01	15.240.01BU	15.240.30	15.240.30BU	150x80x40	185x131	Net PVC	2.5
15.240.02	15.240.02BU	15.240.31	15.240.31BU	150x80x40	185x131	Net PVC	4
-	-	15.140.30	15.140.30BU	150x80x40	185x131	SS	2.5
-	-	15.140.31	15.140.31BU	150x80x40	185x131	SS	4
15.240.60	-	-	-	150x80x40	185x131	White nylon	2.5
15.240.61	-	-	-	150x80x40	185x131	White nylon	4

15.290.55 Hose bag (option)



Oval deck shower with Desy mixer and push-button shower head



Chromed plastic shower and white UV-resistant ASA housing. Fitted with hot/cold water mixer. Flat or bulkhead mounting.

White lid RETAIL (1pcs)	White lid BULK (10pcs)	Chromed lid RETAIL (1pcs)	Chromed lid BULK (10pcs)	mm		Hose	Hose m
				recess	outer dimensions		
15.240.20	15.240.20BU	15.240.33	15.240.33BU	150x80x40	185x131	Net PVC	2.5
15.240.21	15.240.21BU	15.240.34	15.240.34BU	150x80x40	185x131	Net PVC	4

15.290.55 Hose bag (option)



**New Edge deck shower with Mizar mixer and push-button shower head**



Chromed brass shower and white UV-resistant ASA housing. Fitted with hot/cold water mixer. Flat or bulkhead mounting.

White lid RETAIL (1pcs)	White lid BULK (10pcs)	RAL 9010 cream lid RETAIL (1pcs)	RAL 9010 cream lid BULK (10pcs)	Chromed lid RETAIL (1pcs)	Chromed lid BULK (10pcs)	mm		Hose	Hose m
						recess	outer dimensions		
15.257.01	15.257.01BU	15.257.41	15.257.41BU	15.257.30	15.257.30BU	148x74x40	180x105	Net PVC	2,5
15.257.02	15.257.02BU	15.257.42	15.257.42BU	15.257.31	15.257.31BU	148x74x40	180x105	Net PVC	4

15.290.55 Hose bag (option)



**New Edge deck shower with Boris mixer and push-button shower head**



Plastic shower with chromed head and white UV-resistant ASA housing. Fitted with hot/cold water mixer. Flat or bulkhead mounting.

White lid RETAIL (1pcs)	White lid BULK (10pcs)	Chromed lid RETAIL (1pcs)	Chromed lid BULK (10pcs)	mm		Hose	Hose m
				recess	outer dimensions		
15.257.20	15.257.20BU	15.257.33	15.257.33BU	148x74x40	180x105	Net PVC	2,5
15.257.21	15.257.21BU	15.257.34	15.257.34BU	148x74x40	180x105	Net PVC	4
15.158.20	15.158.20BU	-	-	148x74x40	180x105	SS	2,5
15.158.21	15.158.21BU	-	-	148x74x40	180x105	SS	4
15.257.60	15.257.60BU	-	-	148x74x40	180x105	White nylon	2,5
15.257.61	15.257.61BU	-	-	148x74x40	180x105	White nylon	4



**Deck shower with Mizar push-button shower head fitted with watertight on/off switch**



Chromed-brass shower head, white UV-resistant ASA housing. Suitable for small/medium hulls where the deck shower is connected directly to the fresh water pump system.

White	mm		Hose	Hose m	Spare shower head
	recess	outer dimensions			
15.241.01	150x80x40	185x124	Net PVC	2,5	15.242.02
15.241.02	150x80x40	185x124	Net PVC	4	15.242.02



**OSCULATI**



▲ 15.470.01  
15.471.01



▲ 15.470.02  
15.471.02



▲ 15.470.11  
15.471.11



▲ 15.470.12  
15.471.12




▲ 15.470.01  
15.471.01




▲ 15.470.12  
15.471.12




▲ 15.480.29



▲ 15.470.01/02  
15.471.01/02



▲ 15.470.11/12  
15.471.11/12



▲ 15.470.xx








▲ Video



**Saturn shower with hot/cold water built-in mixer**

**REGISTERED DESIGN / DISEGNO DEPOSITATO HOT & COLD**

Shower with built-in mixer. Flat hidden design. Horizontal or vertical mounting. Shower housing fitted with anti-vibration washer. Hot and cold water can be **adjusted** by rotating the shower body while the flow is adjusted by touching a push lock button that blocks the water jet and prevents waste. The built-in mixer precisely adjusts the temperature and store data between uses.






 Code	Montage	Colour	Min. inner space mm	Flange-Ø mm	↔ hose m	Carbon shower rod OPTIONAL
15.470.01	Horizontal	 Chromed grey + white base	230	84	4	<b>15.480.29</b>
15.470.02	Horizontal	 Chromed grey + chromed base	230	84	4	<b>15.480.29</b>
15.470.11	Vertical	 Chromed grey + white base	160	120	4	<b>15.480.29</b>
15.470.12	Vertical	 Chromed grey + chromed base	160	120	4	<b>15.480.29</b>




**New Saturn cold-water shower**

**REGISTERED DESIGN / DISEGNO DEPOSITATO ONLY COLD**

Flat hidden design. Horizontal or vertical mounting. Shower housing fitted with anti-vibration washer. The flow is adjusted by touching a push lock button that blocks the water jet and prevents waste.

 Code	Montage	Colour	Min. inner space mm	Flange-Ø mm	↔ hose m	Carbon shower rod OPTIONAL
15.471.01	Horizontal	 Chromed grey + white base	230	84	4	<b>15.480.29</b>
15.471.02	Horizontal	 Chromed grey + chromed base	230	84	4	<b>15.480.29</b>
15.471.11	Vertical	 Chromed grey + white base	160	120	4	<b>15.480.29</b>
15.471.12	Vertical	 Chromed grey + chromed base	160	120	4	<b>15.480.29</b>





# SATURN

## no more chills, just chill out

15.470.xx - Shower with *hot/cold* water built-in mixer




▶ Scan to discover!



**New**

**Saturn PVC bag for shower with vertical mounting base (15.470.11/12 and 15.471.11/12)**



**15.470.90** PVC bag for shower hose that drains out any water seepage. Easy to install at the back of the Saturn shower with vertical mounting base by means of a metal clamp. The two metal rings on the base of the bag make it possible to fix it to the boat hull in any position you wish.



**OSCULATI****Elissa deck shower with Tiger mixer and shower head****AISI 316**


AISI316 stainless steel housing with self-supporting/soft-close lid. Fitted with Tiger stainless steel shower head and inside anti-vibration washer. Mixer with cylindrical knob.

Code	←→  mm		Hose	Hose m
	outer dimensions	recess bore		
15.323.00	175x105	152,5x77	Net PVC	2,5
15.323.01	175x105	152,5x77	Net PVC	4
15.323.30	175x105	152,5x77	SS	2,5
15.323.31	175x105	152,5x77	SS	4
15.323.60	175x105	152,5x77	White nylon	2,5
15.323.61	175x105	152,5x77	White nylon	4

**OSCULATI****Elissa deck shower with Keji mixer and shower head****AISI 316****REGISTERED DESIGN / DISEGNO DEPOSITATO**



AISI316 stainless steel housing with self-supporting/soft-close lid. Fitted with Keji chromed plastic shower head with oversized head. Inside anti-vibration washer. Mixer with cylindrical knob.

Code	←→  mm		Hose	Hose m
	outer dimensions	recess bore		
15.324.00	175x105	152,5x77	Net PVC	2,5
15.324.01	175x105	152,5x77	Net PVC	4
15.324.30	175x105	152,5x77	SS	2,5
15.324.31	175x105	152,5x77	SS	4
15.324.60	175x105	152,5x77	White nylon	2,5
15.324.61	175x105	152,5x77	White nylon	4

**OSCULATI****Elissa deck shower with Keji II Continuum Flow mixer and shower head****AISI 316****CONTINUUM FLOW****REGISTERED DESIGN / DISEGNO DEPOSITATO**

AISI316 stainless steel shower housing with soft-close self-supporting lid. Fitted with Keji II Continuum Flow chromed brass overdimensioned shower head and inside anti-vibration washer. Cylinder knob mixer. Ideal in combination with Rocky pole 15.480.20.


Code	←→  mm		Hose	Hose m
	recess bore	outer dimensions		
15.325.00	175x105	152,5x77	Net PVC	2,5
15.325.01	175x105	152,5x77	Net PVC	4
15.325.30	175x105	152,5x77	SS	2,5
15.325.31	175x105	152,5x77	SS	4
15.325.60	175x105	152,5x77	White nylon	2,5
15.325.61	175x105	152,5x77	White nylon	4



**Adriana recess-fit deck shower**

Deck shower for deluxe boats. Fitted with a large Bossini adjustable jet shower head with cold/hot water mixer. UV-resistant ASA housing. The shower head is easy to pull out and also works as cover. No lid for easier use and to prevent the tube to get stuck and damaged.

Code	Finish		mm		Tube	Tube m
	housing	shower head	recess	outer dimensions		
15.480.00	White ASA	Chromed	132x271	162x303	SS	4

**OSCULATI****Rocky shower telescopic rod for outdoor purposes**

This rod makes it possible to have a shower head on the stern gangplank. Made of black anodized aluminium + stainless steel parts. The shower head can be adjusted in any position. Lightweight and telescopic for easy storage, rod outer diameter 35 mm (order 34.355.00 for bulkhead stowage).

Ideal to match Adriana deck shower 15.480.00 or Keji II Continuum Flow 15.237.06.

Code	Type	Version	For shower	Description
15.480.21	Standard base	Without lid	-	Recess-fit SS base + POM bushing
15.480.26	Delux base	With lid	-	Flush base with sliding cover, POM bushing and hidden screws.
15.480.20	Rod	Aluminium	Generic	Black anodized aluminium shower rod
15.480.28 <b>New</b>	Rod	Carbon	Generic	Universal carbon shower rod
15.480.29 <b>New</b>	Rod	Carbon	Saturn type 15.470.xx	Carbon shower rod only for Saturn shower 15.470.xx

**OSCULATI****Utility handheld shower head**

Plastic and chromed brass lever-operated shower head. The water system opens and activates the fresh water pump by pushing the button. It prevents using an intermediate locking faucet. Designed for deck mounting.

Code	Hose	Hose m	Chromed brass deck support	Spare shower head
15.256.00	Net PVC	2,5	Yes	15.256.02
15.256.01	Net PVC	4	Yes	15.256.02
15.251.00	Net PVC	4	No	15.256.02

**Plastic push-button shower head**

Fitted with snap-on support for deck use.

Code	Hose	Hose m	Spare shower head
15.254.00	Net PVC	2,5	15.242.02
15.254.01	Net PVC	4	15.242.02







▲ 15.290.12



▲ 15.290.13/15/11/10

**WHALE Twist integrated deck shower**

**PATENT/BREVETTATO**


The hot/cold water temperature and the flow rate are set in an easy and user-friendly way by rotating the lower part of the shower head body. Its flow (8 lt/min) ensures a powerful water jet. ABS body and grey rubber edges (blue rubber on request) to protect the deck from unwanted impacts.

Easy installation:

- Special section pipe with T-joint and pre-installed quick-release couplings;
- The flange can be installed from the outside with just one circular bore.

Code	Function	Flange	Colour	Minimum inner space mm	Flange Ø mm	←→ pipe cm	Package
15.290.14	Hot/cold	Angled	Grey	150	120	250	bulk/loose
15.290.12	Cold only	Angled	Black	150	120	250	bulk/loose
15.290.13	Hot/cold	Straight	Grey	190	57	250	bulk/loose
15.290.15	Hot/cold	Straight/Angled	Grey	190/150	57/120	250	retail box
15.290.11	Cold only	Straight	Grey	190	57	210	bulk/loose
15.290.10	Cold only	Straight/Angled	Grey	190/150	57/120	210	retail box


The angled version is suitable for installation on vertical walls and where there is limited inside space.



▲ 15.290.14 Angled



▲ 15.290.14




▲ 15.290.11/13 Straight



▲ 15.290.11/13




▲ 15.290.10/15



**WHALE shower hose bag**

15.290.50 Convenient plastic-mesh bag made for the hose of the below-deck shower to prevent getting entangled in the other equipment and making it impossible to extract the shower head. Easy to fasten and adapt to all situations, resistant and inexpensive.



**WHALE recess-fit deck shower**

Removable 2,10-m hose connected to the deck shower. 1/2" thread white ABS hose adaptor for connection.

Type	With lid	Without lid	Spare shower head
Cold/hot water	17,030,06	17,031,06	17,030,99



**Deck shower with Mizar push-button shower head and mixer**

Chromed brass shower head, UV-resistant ASA housing. Fitted with hot/cold water mixer. Model designed to be mounted preferably on the bulkhead, hose exit parallel to the bulkhead.

Code	←→ mm			Hose	Hose m	Spare mixer	Spare shower head
	recess	depth	Outer dimensions				
15.239.01	195x95	47 (box) + 87 (mixer)	240x145	Net PVC	2.5	17,051,01	15,242,02
15.239.02	195x95	47 (box) + 87 (mixer)	240x145	Net PVC	4	17,051,01	15,242,02

**Mizar spare shower head**



Code	Model	Material
15.242.02	Push-button	Brass + plastic

**Desy spare shower head**



Code	Model	Material
15.238.03	Lever-operated	Chromed plastic

**Spare shower head**



Code	Model	Material
15.256.02	Lever-operated	Chromed plastic

**Boris spare shower head**



Code	Model	Material
15.248.02	Lever-operated	Chromed plastic

**Niagara spare shower head**




Code	Model	Material
15.249.02	Lever-operated	Chromed plastic



**Tiger spare shower head**



Code	Model	Material
15.247.02	Lever-operated	Stainless steel




**Keji spare shower head**

**REGISTERED DESIGN / DISEGNO DEPOSITATO**



Code	Model	Material
15.237.02	Push-button	Chromed plastic



**Keji II Continuum Flow spare shower head**

**REGISTERED DESIGN / DISEGNO DEPOSITATO**



Code	Model	Material
15.237.06	Push button	Chromed brass

White net PVC shower hose



"Full white" model more elegant than the traditional net version.

Code	Length m	Terminal joints
15.210.00	2,5	1/2" F + 3/8" F
15.210.01	4	1/2" F + 3/8" F

White nylon net shower hose



Made of nylon, with EPDM inside. Compared to net PVC hoses, it's extremely flexible and can be positioned more easily in its housing.

Code	Length m	Terminal joints
15.198.00	2,5	1/2" F + 3/8" F
15.198.01	4	1/2" F + 3/8" F

Polished stainless steel shower hose



Made of stainless steel with EPDM inside. Compared to net PVC hoses, it's extremely flexible and can be positioned more easily in its housing.

Code	Length m	Terminal joints
15.199.00	2,5	1/2" F + 3/8" F
15.199.01	4	1/2" F + 3/8" F



3/8" to 1/2" adaptors for shower hoses

Code	↔	For showers
15.252.00	3/8" to 1/2"	15.242.00; 15.242.01; 15.244.00; 15.244.01; 15.254.01; 15.256.00; 15.256.01; 15.251.00; 15.240.01; 15.240.02; 15.240.20; 15.240.21; 15.240.30; 15.240.31; 15.240.33; 15.240.34

Spare parts for deck showers

Code	Description	Version	Shower outlet	Material	Finish	↔ mm	
						recess	outer dimensions
15.900.01	Housing for shower head and mixer + plain lid	Oval	Rear	UV-resistant ASA	White	150x80x40	185x131
15.900.02	Housing for shower head and mixer + plain lid	Oval	Cross	UV-resistant ASA	White	150x80x40	185x131
15.900.03	Plain lid	Oval	-	UV-resistant ASA	White	-	-
15.900.04	Plain lid	Oval	-	ABS	Chromed	-	-
15.900.05	Housing for shower head and mixer + plain lid	New Edge	Rear	UV-resistant ASA	White	148x74x40	180x105
15.900.06	Housing for shower head and mixer + plain lid	New Edge	Cross	UV-resistant ASA	White	148x74x40	180x105
15.900.07	Plain lid	New Edge	-	UV-resistant ASA	White	-	-
15.900.08	Plain lid	New Edge	-	ABS	Chromed	-	-
15.900.09	Housing for shower head + silk-screen printed lid	New Edge	Rear	UV-resistant ASA	White	Ø70x40,5	88x95
15.900.10	Housing for shower head + silk-screen printed lid	New Edge	Cross	UV-resistant ASA	White	Ø70x40,5	88x95
15.900.11	Plain lid	New Edge	-	UV-resistant ASA	White	-	-
15.900.12	Plain lid	New Edge	-	ABS	Chromed	-	-
15.900.13	Housing for shower head + silk-screen printed lid	Classic Evo	Rear	UV-resistant ASA	White	Ø70x44	Ø95
15.900.14	Housing for shower head + silk-screen printed lid	Classic Evo	Cross	UV-resistant ASA	White	Ø70x44	Ø95
15.900.15	Plain lid	Classic Evo	-	UV-resistant ASA	White	-	-
15.900.16	Plain lid	Classic Evo	-	ABS	Chromed	-	-
15.900.17	Housing for shower head + silk-screen printed lid	Classic/Elegant	Rear	UV-resistant ASA	White	Ø70x41,5	98,5x106
15.900.18	Plain lid	Classic/Elegant	-	UV-resistant ASA	White	-	-
15.900.19	Housing for shower head + cap/gasket	-	Rear	-	White	-	-






## WHALE taps and foot pumps



### Hand pump WHALE MK6

Ideal as emergency pump, swivelling, adjustable by height, made of **nylon, aluminium and stainless steel**.

Code	Hose adaptor mm	Materials
15.650.00	13	nylon + aluminium + stainless steel



### WHALE Flipper MK4 hand pump

Self-priming with swivelling spout.

Code	Capacity l/m	Hose adaptor size mm
15.418.00	6.8	13



### WHALE Gusher MK3 foot pump

Adjustable hose connector, 3 possible mounting positions, self-priming features.


Code	Capacity l/m	Hose adaptor mm	Maintenance kit
15.550.00	16	15	15.550.99 Whale Gusher Mk3



### WHALE Baby Foot MK2 self-priming foot pump

Self-priming foot-operated pump designed for easy installation and use. Ideal for a simple fresh water system. Angled upper section. Compact size for installation in confined spaces.

Code	Capacity l/m	Hose pipe mm	Materials
15.461.80	8	13	nylon, neopree and stainless steel



### WHALE Tiptoe MK4 foot pump

Foldable pump, the pumping button is released by rotating the foot.

Code	Capacity l/m	Materials
15.130.90	7	nylon + nitrile



## Foot pumps

### Sink double-acting foot pump

Swivelling inlet/outlets, neoprene diaphragm, **nylon** body.

Code	Max capacity l/m	Hose adaptor mm
15.253.00	9	14.5



# WHALE hand pumps



### WHALE plastic bilge pump

Top quality pump fitted with drain spiral pipe and terminal outlet. Suitable for gasoil pouring. Sold in display package.

Code	Flow l/m	Body length mm
15.264.35	19/32	380
15.264.55	19/32	580



### Manual pump WHALE "Smart Bail"

Fitted with built-in handle; easy to install with just two fastening screws; equipped with built-in gasket thus it does not require the use of silicone; very compact, may be installed in all positions; removable swivelling rear clip-on hose-adaptor; made in accordance with ISO 15083 standards.

Code	Intake	Head	Max head	45 cycles/min	60 cycles/min	Hose adaptor mm
15.360.25	0 m 1 m	0 m 1 m	3 m	38,50 l/min 32,75 l/min	51,33 l/min 43,60 l/min	25
15.360.38	0 m 1 m	0 m 1 m	3 m	43,50 l/min 43,50 l/min	58 l/min 58 l/min	38



### WHALE "Compact 50" pump

Designed for concealed installation, ideal for mounting in confined spaces, fitted with swivelling inlet and outlet jointly with a lower casing. **Also suitable for transferring diesel fuel.** Made of polypropylene, fiberglass and nylon 66 reinforcements. Includes handle and clip-in trap door.

Code	Couleur	Mounting with	Depth mm	Body mm	Capacity l/m	Hose adaptor mm	Repair kit
15.350.00	White	4 screws	127	199x196	40	25	15.350.01
15.350.02	Black	4 screws	127	199x196	40	25	15.350.01

- 15.350.01** Maintenance kit: diaphragm, valves and screws.
- 15.350.99** Closing ring and screws.
- 15.350.98** Deck sealing kit and screws.




### WHALE hand bilge pump

Obligatory on all boats in category A and B, in accordance with current EC standards. High quality product, made with the best materials on the market.

Code	Version	Handle type	Max flow l/m	Hose adaptor mm	URCHIN pump repair kit
15.262.35	GUSHER URCHIN	Fixed	37	25/38	15.262.37
15.262.36	MKIII GUSHER URCHIN *	Removable + Trapdoor	37	25/38	15.262.37
15.262.34	GUSHER URCHIN	Removable	37	25/38	15.262.37

\* Includes adaptor for concealed installation.



### WHALE MKV pulsatile pump

Fitted with **stainless steel removable handle**, neoprene diaphragm, immediate inspection from the inside through the snap-on cover; can suction any type of liquid, including diesel fuel.

Code	Max capacity l/m	Hose adaptor mm	Mounting	Repair kit	Watertight trap door, only	kg
15.268.01	75	38	Floor, wall or behind the bulkhead	15.268.04	15.268.05	1.1
15.268.03	75	38	Specific for mounting behind the bulkhead (with watertight trap door) 15.268.05	15.268.04	15.268.05	1.1



**Maxi pump WHALE**

Made up of two combined MKV pumps; removable handle; concealed installation behind the bulkhead, fitted with trapdoor (to be ordered separately). The entry joints may be removed in order to have two separate pumps and suction from two different bilges, even if one is dry.

Code	Capacity l/m	Hose adaptor mm	Head m	mm handle excluded	Manhole	Repair kit
15.270.00	136 (with 70 turns)	38	4.5	234(h) x 292(w) x 203(d)	15.268.05	15.268.04



▲ 15.268.05



▲ 15.268.04

**Hand pumps****Small double-acting pump**

Suitable for extracting oil from the motor sump, or petrol, water, etc.

Code	Cc pump/capacity	Length mm
15.260.00	80	230

**Bilge pumps for suction/pressing**

Provide easy control of the suctioned liquid, supplied with terminal extension and special discharge spiral hose.

Code	Body length mm	Ø mm
15.263.35	390	50
15.263.55	550	50

**Bilge pump for suction/pressing**

Equipped with 95-cm drain tube. Ergonomic grip handle.

Code	Body length mm	Ø mm
15.265.01	390	44
15.265.02	550	44
15.265.03	1000	44

**Double acting hand pump, designed to suction oil**

Fitted with nylon hose for fitting onto oil sidepiece and drainage pipe; also suitable for draining needy bilges.

Code	Length mm
15.259.01	390

**Manual double-acting bilge pump**

Fitted with central SOFT sleeve for better intake. Drain hose cm 100.

Code	Body length mm	Ø mm
15.263.00	440	44

**Bulkhead hand pump, fixed lever**

For surface mounting. Compact and sturdy, made from anti-corrosion materials.

Code	Capacity l/pump cycle	Lever	Size mm	Hose adaptor mm	Spare gasket kit
15.262.20	0,33 (30 - 60 pumps/minute)	fixed	180x125x75	25	15.262.21









**Hand pump foldable behind the bulkhead**

Fitted with locking trap door and joints for **adjustable** pipes on the back.

Code	Flow	Lever	Dimensions mm	Hose adaptor mm	Spare gasket kit with trap door
15.262.25	22 litres per 30 pumping cycles	Pull-out	177x192x204	25	15.262.28


▲ 15.262.27 Replacement door in **grey**. Recommended for aluminium yachts  
 ▲ 15.350.99 Closing ring and screws.



**PIPER PUMP vacuum self-emptying**

15.266.00 Made of **anodized aluminium**; fitted with hose and **stainless steel** clamp for mounting the hose to the pump; universal size for all **outboard** engines.

**Bailers**



**Regulation bailer**

Made of orange polyethylene. Resistant to high and low temperature.

Code	Color	mm
15.801.05	Orange	180x140x110



**High-quality bailer**

Made of moplen, for fast emptying.

Code	Volume litres	mm
15.801.04	3,00	220x168x155



**Eltex bailer**

Designed for hand bailing, fuel resistant.

Code	Version	Length mm
15.801.01	Small	360x110
15.801.02	Large	410x220



**Eltex funnel bailer**

With strainer. Resistant to hydrocarbons.

Code	Description
15.801.03	Designed for bailing and transferring fuel.