

## Marine binoculars and accessories

**OSCULATI**

### Autofocus binoculars 7x50

Outer **rubber** coating; includes neckstrap and case.

Code	Focusing	Prisms	Vision field at 1000 m
26.748.00	automatic (minimum distance of 12 m)	BK-7	115,3 m (6,6°)



### Autofocus professional binoculars 7x50

100% **watertight**; anti-glare lens "Ruby-coating"; **rubber** coating, includes neckstrap and case.

Code	Focusing	Prisms	Vision field at 1000 m
26.747.00	automatic (minimum distance of 20 m)	BK-7	116 m



### Binoculars 7x50

100% **watertight** with external **rubber** coating; filled with nitrogen gas; anti-glare blue tinted lenses "Ruby Coating"; includes neckstrap and case.

Code	Focusing	Prisms	Vision field at 1000 m
26.750.00	central or on the eyepiece	BK-7	116 m



### Professional binoculars 7x50

100% **watertight**; filled with nitrogen gas; high quality optical system; **rubber** coated; anti-glare lenses "Ruby coating", includes neckstrap and case.

Code	Focusing	Prisms
26.752.00	Automatic and ocular	BaK4





#### Professional binoculars 7x50 fitted with compass

**100% watertight**; filled with nitrogen gas; fitted with **bearing compass with light** and a grid to measure distance; high quality optical system; coated with **rubber**, supplied with neckstrap and case, anti-glare lenses Ruby Coating.

Code	Focusing	Prisms
26.754.00	Automatic and ocular	BaK4



#### Binoculars ZOOM 10x30x50

Coated with **rubber**; joints a nautical field of  $\varnothing$  50mm with zoom technology; fitted with quick operating lever, which enables a zoom range from 10 to 30 enlargements; includes neckstrap and case.

Code	Focusing	$\varnothing$ mm
26.751.00	central or on the eyepiece	50




#### Binoculars holder

Made of fast white polyethylene. Bulkhead mounting or on 22/25-mm  $\varnothing$  tube with clamp included in the package.


Code	Description	↔ mm
26.740.00	Binoculars holder	230x120x85

## Navigation instruments and inclinometer



#### Plexiglass triangular protractor

Code	Description
26.142.40	Modell geeignet für die Kartenarbeit. Mit Griff, Doppelwinkelmesser integriert.



#### Parallel rule Integral Plotter

All fitted in **just one** device, the Bretone protractor and the Jean CRAS quick system protractor; includes casing and instructions; suitable for measuring distances, adjust variations, transport a fixing point, plot a coast route, bearing according to the compass graduation, etc...

Code	Length mm
26.142.85	350



#### Parallel ruler Micron

Made of **transparent plexiglass**; high accuracy, fine finish.

Code	Length cm
26.142.70	30
26.142.71	40
26.142.72	50

**Navigation compasses**

Hard mirror polished steel points; excellent finish, practical; supplied with plastic case holder.

Code	Type	Length mm	Material
26.141.60	short	145	mirror polished brass
26.141.61	long	177	mirror polished brass
26.141.62	to be used with just one hand	177	mirror polished brass



**Genuine German WEREIN plotting dividers**

Made of **chromed brass**; supplied with casing and tips protector.

Code	Type	Length mm
26.142.60	short	140
26.142.61	long	180



**Scuola charting kit**



Cheap version. It includes 2 square sets, dividers, Graphos pencil + eraser in elegant case.

Code	closed mm
26.142.44	230x215

**Charting kit**



**26.142.45** Supplied in a protective case.

The kit includes:  
 - 2 rulers 26.142.40;  
 - 1 compass 26.141.60;  
 - pencil and eraser.  
 Suitable for nautical schools, it can be customized with the school logo (minimum quantity 50 pieces).

**Inclinometer**

High precision double bubble inclinometer

Code	Scales	mm	Mounting
26.700.86	30° - 0° - 30° + 5° - 0° - 5°	100x80	4 screws or with self adhesive label provided
26.700.87	45° - 0° - 45° + 6° - 0° - 6°	101x82	4 screws



**DAVIS MARK 15 SEXTANT plastic sextant**

**26.143.25** Having the same characteristics of professional sextants costing as little as one tenth. Made of ultra-strong plastic, it is fitted with micrometric or fast vernier adjustment, mirrors with sunshade, coloured filtering lens, etc. It comes in an elegant case.

