

FINDER 2" (50 mm) and 2" 5/8 (67 mm) compasses

Finder 2" and 2" 5/8 compasses

OSCULATI

ABS body, equipped with **lighting, compensators** and red lubber's line. Also suitable for high speed. Card graduated in 5° intervals. Cardan with 30° max slope.

Code	Rose color	Rose apparent Ø mm	Frame colour	Version	Light	12V LED lighting	Compensators	Max inclination
25.170.01	Black	50 (2")	Black	With bracket	Yes	Yes	Yes	15°
25.170.02	Blue	50 (2")	White	With bracket	Yes	Yes	Yes	15°
25.171.01	Black	67 (2" 5/8)	Black	With bracket	Yes	Yes	Yes	30°
25.171.02	Blue	67 (2" 5/8)	White	With bracket	Yes	Yes	Yes	30°
25.172.01	Black	67 (2" 5/8)	Black	Top-mounted	Yes	Yes	No	30°
25.172.02	Blue	67 (2" 5/8)	White	Top-mounted	Yes	Yes	No	30°



RIVIERA 2" (76 mm) compasses



RIVIERA Comet 2" compass

Anti-glare shield, needle pivot, frontal reading 5° rose.

Mou	Color	Ø max	Height	Reading	
with bracket on surface or wall	Surface		mm	mm	
25,006,03	25.006.01	grey	80	50	front
25.006.04	25.006.02	■ black	80	50	front















RIVIERA Aries 2" 1/2 compass

Non recess fit model with bayonet fixing base,

14011100000 1111110	ton roots it model with suyons many subst.								
Code	Base Ø mm	Height mm	Rose colour	Body colour					
25.025.28	100	60	White	+ + White + white					
25.025.29	100	60	Black	+ Black + black					
25.025.30	100	60	Black	+ White + black					
25.025.31	100	60	Black	+ White + blue					
25.025.40	100	60	Black	+ White + white					














RIVIERA 2" 1/2 (65 mm) compasses



RIVIERA Stella 2" 1/2 compass

Needle pivot, anti-glare shield, fitted with air trap device; 5° rose.

Code	Version	Rose color	Body color
25.025.00	with cover	Black	Black
25.025.05	with cover	White	White
25.025.10	with cover	Blue	Grey
25.025.20	with bracket	Black	Black
25.025.22	with bracket	Blue	Grey
25.025.25	with bracket	White	White



RIVIERA Artica 2" 3/4 (72 mm) compasses



Type-approved by Ministerial Order 388 dated 29/9/99, recommended for boats up to 6.5 metres; semi-gimbals up to 35°, lighting, built-in compass corrector, black rose with 5° scale, fitted with antiglare protection cover. Also available for the southern hemisphere.

RIVIERA Artica 2" 3/4 compass

Internal semi-gimbals. Built-in compensation, anti-glare screen and night lighting. Card with 5 $^{\circ}$ white graduation.

Model				Colour rose	Colour body	12V lighting
Flush mount (BA1)	with binnacle (BA3)	Bracket mount (BA2)				
25.005.11	25.005.13	25.005.12		Blue	Grey	Yes
25.005.01	25.005.03	25.005.02		Black	Black	Yes




RIVIERA Artica Slim 2" 3/4 recess-fit compass

The Artica $\ensuremath{\mathsf{SLIM}}$ have a more compact case than their sister compasses.

Flat rose	Front rose	Colour rose	Body colour	Lighting
25.005.21	25.005.31	■ Black	■ Black	12 V
25.005.23	25.005.33	■ Black	White	12 V









4 25.005.31

3" (80 mm) RIVIERA compasses



Type approved under Ministerial Order 388 of 29/9/99; recommended for boats up to 8 metres; gimbals, built-in compass corrector, lighting, rose with 5° scale. Also available for the southern hemisphere.

RIVIERA Zenit 3" compass fitted with binnacle

Front rose	12V LED lighting	Flat rose	12V lighting	Version	Rose colour	Body colour
25.015.04	Yes	-	-	High speed	Blue	White
25.015.02	Yes	25.017.00	Yes	High speed	■ Black	Black
-	-	25.016.00	Yes	Normal	Black	Black









⊿ 25.016.00/017.00

25.015.02

RIVIERA Zenit 3" compass with bracket

Front rose	12V LED lighting	Flat rose	12V lighting	Version	Rose colour	Body colour
25.015.08	Yes	25.008.20	Yes	High speed	blue	white
-	-	25.008.10	Yes	High speed	blue	grey
25,015,06	Yes	25,008,00	Yes	High speed	black	black
25.015.05	Yes	25.007.00	Yes	Normal	black	black













▲ 25.008.10

⊿ 25.015.08

⊿ 25.008.20

▲ 25.015.05/06

▲ 25.007.00/008.00

RIVIERA Zenit 3" recess fit compass

Front rose	12V LED lighting	Flat rose	12V lighting	Туре	Rose color	Body colour
25.015.20	Yes	25.014.20	Yes	High speed	Blue	White
-	-	25.014.10	Yes	High speed	Blue	Grey
25,015,10	Yes	25,014,00	Yes	High speed	Black	Black
-	-	25.013.00	Yes	Normal	Black	Black













4 25.014.20

▲25.014.10

4 25.015.20

25.013.00/014.00

⊿25.015.10

RIVIERA Zenith SLIM 3" recess-fit compass

The Zenith SLIM have a more compact case than their sister compasses.

Flat rose	Front rose	Colour rose	Body colour	Lighting
25.015.30	25.014.30	■ Black	■ Black	12 V











RIVIERA Zenit 3" recess fit compass with telescopic anti-glare screen

Suitable for high-speed boats.

Flat compass card	Front compass card	12V lighting	Version	Rose colour	Body colour
25.014.25	25.014.19	Yes	Low speed and high speed (over 25 knots)	Black	Black
25.014.26	-	Yes	Low speed and high speed (over 25 knots)	Blue	Grey
25.014.27	25.014.21	Yes	Low speed and high speed (over 25 knots)	Blue	White


















RIVIERA 3" regatta compass

4-colour flat rose, 5° scale. Internal cardan.

Code	Rose c	Case colour	
25.030.50	+ + + + + + + + + + + + + + + + + + + +	4 colours	Black
25.030.51	+ + + + + + + + + + + + + + + + + + + +	4 colours	White








ARTICA series 3" compact compass for high-speed boats

Internal semi-gimbals. Front 5° scale. Night LED lighting.

Built-in	With bracket	12V LED lighting	Rose colour	Case colour
25.014.90	25.014.96	Yes	Black	Black
25.014.91	25.014.97	Yes	Blue	White





⊿ 25.014.90





25.014.96




▲ 25.014.91

25.014.97

RIVIERA 4" (100 mm) compasses



Type approved under Ministerial Order 388 of 29/9/99; recommended for boats up to 10.5 metres; internal gimbals, lighting, 5° graduation. Also available for the southern hemisphere.



RIVIERA 4" compass with binnacle

Code	Version	12V Lighting
25.021.00	Standard	Yes
25.022.00	High speed, over 25 knots	Yes
25.021.01	For Merchant Navy and fishing boats (2° in 2°). RINA test certificate for every single compass.	Yes
25.023.00	For sail boat bollards with low sun hood	Yes



RIVIERA 4" recess fit compass

Code	Version	12V lighting
25.027.00	Normal	Yes
25,028,00	High speed, over 25 knots	Yes
25.027.01**	For Mercantile Marine and fishing boats *	Yes
25.024.00	For sail boat bollards or panel boards with sun hood, Lubber line for top to bottom reading	Yes



- Supplied with RINA type approval certificate for each compass.
- ** Available only on request.


RIVIERA 4" compass with binnacle + telescopic envelope cover

Code	Version	Body colour	Rose colour	12V lighting
25.022.10	High speed (exceeding 25 knots)	Black	■ Black	Yes
25.022.13	High speed (exceeding 25 knots)	Blue	■ Blue	Yes









RIVIERA 4" recess fit compass + telescopic enveloping opening

Flat rose	Front rose	12V LED lighting	Version	Body colour	Rose colour
25.028.10	25.028.17	Yes	Low speed and high speed (exceeding 25 knots)	■ Black	Black
25.028.13	25.028.19	Yes	Low speed and high speed (exceeding 25 knots)	White	Black
25,028,15	25,028,21	Yes	Low speed and high speed (exceeding 25 knots)	White	Blue



RIVIERA 3" and 4" Polare wall compass

Internal cardan, inclinometer, 12/24V lighting, 5° scale. Rear shield and cover included.

Code	Inches	Apparent Ø mm	Body	Rose	Inclinometer	12 V* light	12V LED lighting
25.019.18	3"	80	Black	Black	Yes	Yes	Yes
25.019.17	3"	80	Black	Red	Yes	Yes	Yes
25.019.16	3"	80	White	Red	Yes	Yes	Yes
25.019.15	3"	80	White	Blue	Yes	Yes	Yes
25.020.18	4"	100	Black	Black	Yes	Yes	Yes
25.020.17	4"	100	Black	Red	Yes	Yes	Yes
25.020.16	4"	100	White	Red	Yes	Yes	Yes
25.020.15	4"	100	White	Blue	Yes	Yes	Yes

25.020.19 Spare cover for 4"-compasses

25.020.20 Spare cover for 3"-compasses















⊿ 25.020.16; 25.019.16 **⊿** 25.020.17; 25.019.17

0.17 **⊿** 25.020.18; 25.019.18


New

RIVIERA Astra 4" compass for ceiling mounting

Ideal to optimize space on the bridge, which is increasingly cluttered with monitors, controls and electronic instruments. The aim is to exploit unused surfaces such as the ceiling overlooking the bridge area.

Code	Version	Body	Rose	12V* lighting
25.040.00	Normal	Black	Black	Yes
25.040.01	High speed, over 25 knots	Black	Black	Yes
25.040.02	Normal	White	Black	Yes

^{* 24}V version available on demand







5" (130 mm) Riviera Compasses


Riviera

Type approved under Ministerial Order 388 of 29/9/99; recommended for boats up to 14 metres; internal gimbals, compass corrector and lighting. Also available for the southern hemisphere.


RIVIERA 5" compass with binnacle

Code	Version	24V lighting	Graduation	Initials
25.009.00	Removable rose	Yes	5°	BW2
25.009.01**	Removable rose, for Mercantile Marine and fishing boats*	Yes	2°	-
25.010.00	High speed, over 25 knots	Yes	5°	BW2/AV
25.030.00	For sail boat bollards with low sun hoods	Yes	5°	BW4

- Supplied with testing certificate RINA for each compass.
- ** To be ordered.









RIVIERA 5" recess fit compass

Code	Version	24V lighting	Graduation	Initials
25.011.00	Normal	Yes	5°	BW1
25.011.01	For Mercantile Marine and fishing boats*	Yes	2°	-
25.012.00	High speed, over 25 knots	Yes	5°	BW1/AV
25.029.00	For sail boat bollards or panels with low sun hood	Yes	5°	BW3

^{*} Supplied with testing certificate RINA for each compass.



6" (150 mm) Riviera compasses



Type approved under Ministerial Order 388 of 29/9/99; recommended for boats over 14 metres; internal gimbals, lighting, compass corrector. Also available for the southern hemisphere.

RIVIERA 6" recess fit compass

Code	Version	24V lighting*	Rose	Graduation	Initials
25.001.10	High speed	Yes	Flat	5°	B6/W3
25.002.00	For sail boats	Yes	Flat	5°	B6/W3

^{* 12}V on demand





RIVIERA 6" compass with binnacle

Code	Version	24V lighting*	Rose	Graduation	Body	Initials
25.003.10	High speed	Yes	flat	5°	■ Black	B6/W2
25.004.00	For sail boats	Yes	flat	5°	Black	B6/W4
25.004.02	For sail boats	Yes	flat	5°	White	B6/W5

^{* 12}V on demand



⊿ 25.003.10 - 25.004.00





RITCHIE ® Navigation compasses

RITCHIE

RITCHIE Explorer 2" 3/4 (70 mm) compasses with compensators and night lighting

Version		12V LED lighting	Body	Dial	
Built-in	External	With bracket			
25.081.01	25.081.11	25.081.21	Yes	Black	Black
25.081.02	25.081.12	25.081.22	Yes	White	White
-	25,081,13	25,081,23	Yes	Blue	Blue



25.081.01/02

93mm -

25.081.11/12/13

73mm



N M M

⊿ 25.081.11






25.081.12



25.081.13



25.081.21/22/23



⊿ 25.081.21



25.081.22




⊿ 25.081.23

RITCHIE Voyager 3" (76 mm) compasses with compensators and night lighting


Front and top combi dial.

Version		12V LED lighting	Body	Dial	
Built-in	External				
25.082.01	25.082.11	Yes	Black	Black	
25,082,02	25,082,12	Yes	White	White	











⊿ 25.082.11



RITCHIE Wheelmark 3" (76 mm) compasses


Also type-tested for working boats.

Version		12V LED lighting Body		Dial	
Built-in	External				
25,082,31	25,082,41	Yes	Black	Black	











RITCHIE Helmsman 3" 3/4 (94 mm) compasses with compensators and night lighting

Flat card v	version	Front and top reading combo dial version	12V LED lighting	Lighting V	Body	Dial
built-in	with cover	built-in				
25.083.01	25.083.11	25.083.31	Yes	12	Black	Black
25.083.02	-	25.083.32	Yes	12	White	White
25.083.04	-	-	No	24	Black	Black



RITCHIE Navigator 4" 1/2 (114 mm) compasses with compensators and night lighting

Flat card version				Body	Dial
built-in	with cover	built-in	lighting		
25.084.01	25.084.11	25.084.31	Yes	Black	Black
25.084.02	-	25.084.32	Yes	White	White



RITCHIE Wheelmark 4" 1/2 (114 mm) compasses

Also type-tested for working boats.

Version		12V LED lighting	Body	Dial	
Built-in	with cover				
25.084.41	25,084,51	Yes	Black	■ Black	












RITCHIE Globemaster 5" (127 mm) compasses with compensators and night lighting


Card with 5 $^{\circ}$ white graduation. Night LED lighting.

Version		12V LED lighting Body		Dial
Built-in	with cover			
25.085.01	25.085.11	Yes	Black	Black









⊿ 25.085.11

RITCHIE Supersport compasses

For offshore racing boats.

Black body, rose dial	White body, rose dial	12V LED lighting	Model	Size
25.087.01	25.087.11	Yes	Supersport SS-1002	3" 3/4 (94 mm)
25.087.02	25.087.12	Yes	Supersport SS-2000	4" 1/2 (114 mm)
25.087.03	25.087.13	Yes	Supersport SS-5000	5" (127 mm)




















RITCHIE Venturi Sail / Navigator Sail compasses


Bulkhead mount version for sailboats.

Code	Model	LED lighting	Body	Dial	Compensators	Light	Co	ver
							front	rear
25.088.01	Venturi 3" 3/4 (94 mm)	12/24V	Black	Blue	No	Yes	Included	-
25.088.02	Navigator 4" 1/2 (114 mm)	12V	Black	Red	Yes	Yes	25.088.41	25.088.31











▲ 25.088.02

Portable compasses

Riviera



RIVIERA compass with soft casing

Impact resistant; fitted with neck strap; ideal for surfing, for small boats or as emergency compasses and as bearing compasses as they have a front and double upper reading; 5° to 5° rose graduation, pin suspension, **floating**. Models: -"MIZAR": with fixed ring

- -"ORION": with external turning ring

Model		Color	Ø apparent
MIZAR	ORION		rose
25.066.04	25.066.08	blue	1"7/8
25.066.02	25.066.06	yellow	1"7/8
25.066.01	-	grey	1"7/8
25.066.03	-	ed red	1"7/8

Bearing compasses

Bearing and steering compass



25.900.00 Fitted with magnifying glass, double scale in grades and points, very stable, very clear night reading, side scale meter, kerosene suspension, 1° estimate possible. Specially suited for dinghies or small boats.

Bearing and steering compass "Japanese YCM"



25.350.00 Fitted with magnifying glass, clear reading and very stable double scale, kerosene suspensions, 1° estimate possible; ideal for dinghies.

Pocket compass



Black ABS body, liquid-filled rose, swivelling gimbal ring fitted with an arrow to determine the route. Blister packaging.

Code	Rose Ø mm	
25.950.00	45	

Bearing compass CD703L



Liquid-filled compass with rotating rose, scale meter and foldable sight frame.

Bearing compass PRISMA with case



Code	Description
25.065.02	Model fitted with graduated circle of 1° in 1°, liquid suspension, straight prism reading; equipped with temperature variation adsorbing diaphragm, battery light. It can also be used as a steering compass.
25.065.03	Prisma compass wooden box.

Mini Compass 2000



Compass fitted with rubber anti-shock housing. BETA ray permanent lighting. Magnifying lens for use as both bearing compasses and steering compasses. It uses the twenty-year-old unmatched direct vision system without lubber lines. The rose image is enlarged 10 times; no parallax, 0.5° interval estimate. Excellent rose stability and quickness.

Code	Ø mm	Thickness mm	å
25.420.30	80	29	120