

## Boxes with assorted screws

Different cases are available with an assortment of screws and a range of diameters and lengths most commonly used in the marine sector. Packed in professional cases made of anti-shock clear plastic to easily locate the items inside and fitted with safety slide closure.

### Compact screw box, 540 pcs



**37.300.01 Size:** A2 AISI 304 175x145x32 mm.  
**Total items:** 540

**Include:** 220 self-tapping screws (DIN 7981) - 320 self-tapping screws (DIN 7982).

### Compact screw box, 600 pcs



**37.300.02 Size:** A2 AISI 304 175x145x32 mm.  
**Total items:** 600

**Include:** 90 self-tapping screws (DIN 7981) - 135 self-tapping screws (DIN 7982) - 50 hexagonal head screws (DIN 933) - 50 countersunk screws (DIN 963) - 90 hexagon nuts (DIN 934) - 40 self-locking hexagon nuts (DIN 982) - 85 flat washers (DIN 125) - 60 washers three times larger than the hole.

### Compact screw box, 390 pcs



**37.300.03 Size:** A2 AISI 304 175x145x32 mm.  
**Total items:** 390

**Include:** 46 hexagonal head screws (DIN 933) - 64 countersunk screws (DIN 963) - 90 hexagon nuts (DIN 934) - 40 self-locking hexagon nuts (DIN 982) - 90 flat washers (DIN 125) - 60 washers three times larger than the hole.

### Medium screw box, 850 pcs



**37.300.04 Size:** A2 AISI 304 240x195x42 mm.  
**Total items:** 850

**Include:** 150 self-tapping screws (DIN 7981) - 148 self-tapping screws (DIN 7982) - 94 hexagonal head screws (DIN 933) - 97 countersunk screws (DIN 963) - 115 hexagon nuts (DIN 934) - 64 self-locking hexagon nuts (DIN 982) - 105 flat washers (DIN 125) - 70 washers three times larger than the hole - 7 threaded rod slugs, 20cm long (DIN 975).



### Large screw box, 200 pcs

**37.300.05 Size:** A2 AISI 304 340x260x57 mm.  
**Total items:** 2000

**Include:** 192 self-tapping screws (DIN 7981) - 200 self-tapping screws (DIN 7982) - 168 Fastar countersunk Philips screws - 16 bolt sleeves (DIN 571) - 138 hexagonal head screws (DIN 933) - 129 countersunk screws (DIN 963) - 124 cap screws (DIN 84) - 42 Allen screws (DIN 912) - 240 hexagon nuts (DIN 934) - 71 self-locking hexagon nuts (DIN 982) - 17 blind nuts (DIN 1587) - 20 wing nuts (DIN 315) - 215 flat washers (DIN 125) - 130 washers three times larger than the hole - 70 crown washers (DIN 6798) - 80 grower washers (DIN 127) - 15 threaded rod slugs, 20cm long (DIN 975) - 48 pins (DIN 127) - 38 stainless steel studs - 30 various stainless steel items: fillets, tightening clamps, pin with rings, shackle opening tool.



### Selection of stainless steel nuts





Code	Selection of 60 nuts AISI 304*
37.300.10	4-mm thread length, 5-mm total length, flat head; 5-mm thread length, 5-mm total length, flat head; 5-mm thread length, 6-mm total length, point head; 6-mm thread length, 6-mm total length, flat head; 1/4" thread length, 5-mm total length, point head.

\* 12 pcs per type.





## Bolts and screws in packs



## Bolts and screws in packs - Pan head selftapping screw DIN 7981 / Tapping screw, raised countersunk head with cross recess DIN 7983 / Chipboard screws DIN 7505 A / Self-locking nuts DIN 982.

Autofilettante testa cilindrica DIN 7981 			Autofilettante testa goccia DIN 7983 			Viti a legno fastar DIN 7505A 			Dadi auto-bloccanti DIN 982 		
Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX
37.050.01	2,9x10	20	37.051.01	2,9x13	20	-	-	-	-	-	-
37.050.02	3,5x13	18	37.051.02	3,5x16	18	37.054.02	3x15	20	-	-	-
37.050.04	3,9x16	14	37.051.04	3,9x19	13	37.054.04	3,5x20	18	37.056.04	4	5
-	-	-	-	-	-	-	-	-	37.056.05	5	4
37.050.06	4,2x25	11	37.051.06	3,9x25	10	-	-	-	37.056.06	6	3
37.050.08	4,8x25	9	37.051.08	4,2x32	9	37.054.08	4x25	14	37.056.08	8	2
37.050.10	4,8x32	7	37.051.10	4,8x25	9	37.054.10	4,5x30	10	-	-	-
37.050.12	5,5x25	5	-	-	-	-	-	-	-	-	-
37.050.14	5,5x38	4	37.051.14	5,5x50	4	37.054.14	5x45	8	-	-	-
37.050.16	6,3x25	4	37.051.16	6,3x50	3	37.054.16	6x40	6	-	-	-
37.050.18	6,3x50	3	-	-	-	-	-	-	-	-	-

## Bolts and screws in packs – Slotted countersunk head screws DIN 963 + hex nut DIN 934 + plain washer DIN 125 / Full thread hex head screws DIN 933 + hex nut DIN 934 + plain washer DIN 125 / Cross recessed countersunk flat head screws DIN965 + hex nut DIN934 + plain washer DIN 125.

Viti a metallo testa svasata piana DIN 963 + dado DIN 934 + rondella DIN 125 			Viti a metallo testa esagonale DIN 933 + dado DIN 934 + rondella DIN 125 			Copiglie DIN 94 			Viti a metallo testa a croce svasata piana DIN965 + dado DIN934 + rondella DIN125 		
Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX
37.052.01	3x20	8	-	-	-	37.055.01	1,5x25	20	37.057.01	3x20	8
37.052.02	4x20	7	-	-	-	37.055.02	2x35	15	37.057.02	4x20	7
37.052.04	4x40	5	-	-	-	37.055.04	3x40	7	37.057.04	4x40	5
37.052.06	5x20	5	37.053.06	5x20	5	37.055.06	4x50	4	37.057.06	5x20	5
37.052.08	5x50	3	37.053.08	5x40	4	-	-	-	37.057.08	5x50	3
37.052.10	6x30	4	37.053.10	6x30	3	-	-	-	37.057.10	6x30	4
37.052.12	6x60	2	37.053.12	6x60	2	-	-	-	-	-	-
-	-	-	37.053.14	8x60	2	-	-	-	37.057.14	6x60	2
37.052.16	8x60	2	-	-	-	-	-	-	37.057.16	8x60	2

## Stainless steel nuts, bolts and screws: A4 - AISI 316

Screws are sold in practical cardboard boxes



### Self tapping screw, cross head, round head, UNI 6954 DIN 7981

Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX
A4-7981-02.9X010	2,9 x 10	200	A4-7981-03.9X038	3,9 x 38	50	A4-7981-04.8X025	4,8 x 25	50
A4-7981-02.9X013	2,9 x 13	200	A4-7981-04.2X010	4,2 x 10	100	A4-7981-04.8X032	4,8 x 32	50
A4-7981-02.9X019	2,9 x 19	200	A4-7981-04.2X016	4,2 x 16	100	A4-7981-04.8X038	4,8 x 38	50
A4-7981-03.5X010	3,5 x 10	200	A4-7981-04.2X019	4,2 x 19	100	A4-7981-04.8X045	4,8 x 45	25
A4-7981-03.5X013	3,5 x 13	200	A4-7981-04.2X022	4,2 x 22	100	A4-7981-04.8X050	4,8 x 50	25
A4-7981-03.5X016	3,5 x 16	200	A4-7981-04.2X025	4,2 x 25	100	A4-7981-05.5X016	5,5 x 16	50
A4-7981-03.5X019	3,5 x 19	100	A4-7981-04.2X032	4,2 x 32	50	A4-7981-05.5X032	5,5 x 32	25
A4-7981-03.5X025	3,5 x 25	100	A4-7981-04.2X038	4,2 x 38	50	A4-7981-05.5X038	5,5 x 38	25
A4-7981-03.5X032	3,5 x 32	100	A4-7981-04.2X045	4,2 x 45	50	A4-7981-05.5X050	5,5 x 50	25
A4-7981-03.9X010	3,9 x 10	200	A4-7981-04.2X050	4,2 x 50	25	A4-7981-06.3X019	6,3 x 19	50
A4-7981-03.9X016	3,9 x 16	100	A4-7981-04.8X013	4,8 x 13	100	A4-7981-06.3X025	6,3 x 25	25
A4-7981-03.9X019	3,9 x 19	100	A4-7981-04.8X016	4,8 x 16	100	A4-7981-06.3X032	6,3 x 32	25
A4-7981-03.9X025	3,9 x 25	100	A4-7981-04.8X019	4,8 x 19	50			
A4-7981-03.9X032	3,9 x 32	50	A4-7981-04.8X022	4,8 x 22	50			



### Self tapping screw cross head / countersunk, UNI 6955 DIN 7982

Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX
A4-7982-02.9X010	2,9 x 10	200	A4-7982-03.9X032	3,9 x 32	50	A4-7982-04.8X025	4,8 x 25	50
A4-7982-02.9X013	2,9 x 13	200	A4-7982-03.9X038	3,9 x 38	50	A4-7982-04.8X032	4,8 x 32	50
A4-7982-02.9X019	2,9 x 19	200	A4-7982-04.2X010	4,2 x 10	100	A4-7982-04.8X038	4,8 x 38	50
A4-7982-03.5X010	3,5 x 10	200	A4-7982-04.2X016	4,2 x 16	100	A4-7982-04.8X045	4,8 x 45	25
A4-7982-03.5X013	3,5 x 13	200	A4-7982-04.2X019	4,2 x 19	100	A4-7982-04.8X050	4,8 x 50	25
A4-7982-03.5X016	3,5 x 16	200	A4-7982-04.2X022	4,2 x 22	100	A4-7982-05.5X016	5,5 x 16	50
A4-7982-03.5X019	3,5 x 19	100	A4-7982-04.2X025	4,2 x 25	100	A4-7982-05.5X022	5,5 x 22	50
A4-7982-03.5X025	3,5 x 25	100	A4-7982-04.2X032	4,2 x 32	50	A4-7982-05.5X032	5,5 x 32	25
A4-7982-03.5X032	3,5 x 32	100	A4-7982-04.2X038	4,2 x 38	50	A4-7982-05.5X038	5,5 x 38	25
A4-7982-03.5X038	3,5 x 38	50	A4-7982-04.2X045	4,2 x 45	50	A4-7982-05.5X050	5,5 x 50	25
A4-7982-03.9X010	3,9 x 10	200	A4-7982-04.2X050	4,2 x 50	25	A4-7982-06.3X019	6,3 x 19	50
A4-7982-03.9X016	3,9 x 16	100	A4-7982-04.8X013	4,8 x 13	100	A4-7982-06.3X025	6,3 x 25	25
A4-7982-03.9X019	3,9 x 19	100	A4-7982-04.8X016	4,8 x 16	100	A4-7982-06.3X032	6,3 x 32	25
A4-7982-03.9X022	3,9 x 22	100	A4-7982-04.8X019	4,8 x 19	50	A4-7982-06.3X045	6,3 x 45	25
A4-7982-03.9X025	3,9 x 25	100	A4-7982-04.8X022	4,8 x 22	50	A4-7982-06.3X060	6,3 x 60	10






### Machine screw - Cheese head with slot UNI 6107 DIN 84

Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX
A4-84-03X012	3 x 12	200	A4-84-04X030	4 x 30	50	A4-84-06X020	6 x 20	50
A4-84-03X016	3 x 16	200	A4-84-04X035	4 x 35	50	A4-84-06X030	6 x 30	50
A4-84-03X020	3 x 20	100	A4-84-04X040	4 x 40	50	A4-84-06X040	6 x 40	25
A4-84-03X025	3 x 25	100	A4-84-04X050	4 x 50	25	A4-84-06X050	6 x 50	10
A4-84-03X030	3 x 30	100	A4-84-05X020	5 x 20	50	A4-84-06X060	6 x 60	10
A4-84-03X035	3 x 35	50	A4-84-05X030	5 x 30	50	A4-84-08X030	8 x 30	10
A4-84-04X016	4 x 16	100	A4-84-05X040	5 x 40	25	A4-84-08X040	8 x 40	10
A4-84-04X020	4 x 20	100	A4-84-05X050	5 x 50	25	A4-84-08X050	8 x 50	10
A4-84-04X025	4 x 25	50	A4-84-05X060	5 x 60	25	A4-84-08X060	8 x 60	10




## Threaded hexagon setscrew UNI 5739 DIN 933



Code	mm		Code	mm		Code	mm	
A4-933-04X012	4 x 12	100	A4-933-06X060	6 x 60	25	A4-933-10X050	10 x 50	10
A4-933-04X020	4 x 20	100	A4-933-06X070	6 x 70	10	A4-933-10X060	10 x 60	10
A4-933-04X030	4 x 30	50	A4-933-06X080	6 x 80	10	A4-933-10X080	10 x 80	5
A4-933-04X040	4 x 40	50	A4-933-06X100	6 x 100	10	A4-933-10X100	10 x 100	5
A4-933-05X020	5 x 20	50	A4-933-08X030	8 x 30	25	A4-933-10X120	10 x 120	5
A4-933-05X030	5 x 30	50	A4-933-08X040	8 x 40	25	A4-933-12X050	12 x 50	10
A4-933-05X040	5 x 40	50	A4-933-08X050	8 x 50	10	A4-933-12X060	12 x 60	10
A4-933-05X050	5 x 50	25	A4-933-08X060	8 x 60	10	A4-933-12X080	12 x 80	5
A4-933-06X020	6 x 20	50	A4-933-08X070	8 x 70	10	A4-933-12X100	12 x 100	5
A4-933-06X030	6 x 30	50	A4-933-08X080	8 x 80	10	A4-933-12X120	12 x 120	5
A4-933-06X040	6 x 40	25	A4-933-08X100	8 x 100	5			
A4-933-06X050	6 x 50	25	A4-933-10X040	10 x 40	10			




## Machine screw, slot head - countersunk UNI 6109 DIN 965



Code	mm		Code	mm		Code	mm	
A4-965-03X012	3 x 12	200	A4-965-05X020	5 x 20	50	A4-965-06X080	6 x 80	10
A4-965-03X016	3 x 16	200	A4-965-05X030	5 x 30	50	A4-965-06X100	6 x 100	5
A4-965-03X020	3 x 20	100	A4-965-05X040	5 x 40	25	A4-965-08X030	8 x 30	10
A4-965-03X025	3 x 25	100	A4-965-05X050	5 x 50	25	A4-965-08X040	8 x 40	10
A4-965-03X030	3 x 30	100	A4-965-05X060	5 x 60	25	A4-965-08X050	8 x 50	10
A4-965-03X040	3 x 40	50	A4-965-06X020	6 x 20	50	A4-965-08X060	8 x 60	10
A4-965-04X016	4 x 16	100	A4-965-06X030	6 x 30	50	A4-965-08X070	8 x 70	5
A4-965-04X020	4 x 20	100	A4-965-06X040	6 x 40	25	A4-965-08X080	8 x 80	5
A4-965-04X030	4 x 30	50	A4-965-06X050	6 x 50	25	A4-965-08X100	8 x 100	5
A4-965-04X040	4 x 40	50	A4-965-06X060	6 x 60	10			
A4-965-04X050	4 x 50	25	A4-965-06X070	6 x 70	10			




## Countersunk socket screw, UNI 5933 DIN 7991



Code	mm		Code	mm		Code	mm	
A4-7991-03X012	3 x 12	50	A4-7991-04X040	4 x 40	25	A4-7991-06X030	6 x 30	25
A4-7991-03X020	3 x 20	50	A4-7991-04X050	4 x 50	25	A4-7991-06X040	6 x 40	25
A4-7991-03X030	3 x 30	50	A4-7991-05X020	5 x 20	50	A4-7991-06X060	6 x 60	10
A4-7991-04X016	4 x 16	50	A4-7991-05X040	5 x 40	25	A4-7991-06X070	6 x 70	10
A4-7991-04X020	4 x 20	50	A4-7991-05X050	5 x 50	25	A4-7991-06X100	6 x 100	5
A4-7991-04X030	4 x 30	50	A4-7991-06X020	6 x 20	50			




## Hexagon nut UNI 5588 DIN 934



Code	mm		Code	mm		Code	mm	
A4-934-03	3	200	A4-934-06	6	200	A4-934-12	12	25
A4-934-04	4	200	A4-934-08	8	100			
A4-934-05	5	200	A4-934-10	10	25			




## Self-locking hexagon nut DIN 982



Code	mm		Code	mm		Code	mm	
A4-982-04	4 (DIN 985 low type)	50	A4-982-06	6	25	A4-982-10	10	10
A4-982-05	5	25	A4-982-08	8	10	A4-982-12	12	5


## Domed cap hexagon nut UNI 5721 DIN 1587





Code	mm		Code	mm		Code	mm	
A4-1587-04	4	25	A4-1587-06	6	10	A4-1587-10	10	5
A4-1587-05	5	25	A4-1587-08	8	10	A4-1587-12	12	5



## Washer UNI 6592 DIN 125


Code	mm	 ORDER BY BOX
A4-125-03	3	200
A4-125-04	4	200
A4-125-05	5	200


Code	mm	 ORDER BY BOX
A4-125-06	6	200
A4-125-08	8	100
A4-125-10	10	50


Code	mm	 ORDER BY BOX
A4-125-12	12	50



## Washer x 3 nominal diameter


Code	mm	 ORDER BY BOX
A4-9021A-03X009	3 x 9	200
A4-9021A-04X012	4 x 12	200
A4-9021A-05X015	5 x 15	200


Code	mm	 ORDER BY BOX
A4-9021A-06X018	6 x 18	100
A4-9021A-08X024	8 x 24	50
A4-9021A-10X030	10 x 30	25


Code	mm	 ORDER BY BOX
A4-9021A-12X036	12 x 36	10



## Serrated lock washer DIN 6798


Code	mm	 ORDER BY BOX
A4-6798-04	4	200
A4-6798-05	5	200


Code	mm	 ORDER BY BOX
A4-6798-06	6	200
A4-6798-08	8	200


Code	mm	 ORDER BY BOX
A4-6798-10	10	100
A4-6798-12	12	50



## Grower washers UNI 1751 DIN 127

Code	mm	 ORDER BY BOX
A4-127-03	3	200
A4-127-04	4	200
A4-127-05	5	200

Code	mm	 ORDER BY BOX
A4-127-06	6	200
A4-127-08	8	200
A4-127-10	10	100


Code	mm	 ORDER BY BOX
A4-127-12	12	50


## Stainless steel nuts, bolts and screws: A2 - AISI 304


Screws are sold in practical cardboard boxes.



## Self tapping screw cross head - oval, UNI 6954 DIN 7981




Code	mm	 ORDER BY BOX
A2-7981-02,9X010	2,9 x 10	200
A2-7981-02,9X013	2,9 x 13	200
A2-7981-02,9X019	2,9 x 19	200
A2-7981-03,5X010	3,5 x 10	200
A2-7981-03,5X013	3,5 x 13	200
A2-7981-03,5X016	3,5 x 16	200
A2-7981-03,5X019	3,5 x 19	200
A2-7981-03,5X025	3,5 x 25	100
A2-7981-03,5X032	3,5 x 32	100
A2-7981-03,5X038	3,5 x 38	100
A2-7981-03,9X010	3,9 x 10	200
A2-7981-03,9X016	3,9 x 16	200
A2-7981-03,9X019	3,9 x 19	200
A2-7981-03,9X022	3,9 x 22	100
A2-7981-03,9X025	3,9 x 25	100
A2-7981-03,9X032	3,9 x 32	100

Code	mm	 ORDER BY BOX
A2-7981-03,9X038	3,9 x 38	100
A2-7981-04,2X010	4,2 x 10	200
A2-7981-04,2X013	4,2 x 13	200
A2-7981-04,2X016	4,2 x 16	200
A2-7981-04,2X019	4,2 x 19	100
A2-7981-04,2X022	4,2 x 22	100
A2-7981-04,2X025	4,2 x 25	100
A2-7981-04,2X032	4,2 x 32	100
A2-7981-04,2X038	4,2 x 38	100
A2-7981-04,2X045	4,2 x 45	100
A2-7981-04,2X050	4,2 x 50	50
A2-7981-04,8X013	4,8 x 13	100
A2-7981-04,8X016	4,8 x 16	100
A2-7981-04,8X019	4,8 x 19	100
A2-7981-04,8X022	4,8 x 22	100
A2-7981-04,8X025	4,8 x 25	100


Code	mm	 ORDER BY BOX
A2-7981-04,8X032	4,8 x 32	100
A2-7981-04,8X038	4,8 x 38	50
A2-7981-04,8X045	4,8 x 45	50
A2-7981-04,8X050	4,8 x 50	50
A2-7981-05,5X016	5,5 x 16	50
A2-7981-05,5X022	5,5 x 22	50
A2-7981-05,5X032	5,5 x 32	50
A2-7981-05,5X038	5,5 x 38	50
A2-7981-05,5X050	5,5 x 50	25
A2-7981-06,3X019	6,3 x 19	50
A2-7981-06,3X025	6,3 x 25	50
A2-7981-06,3X032	6,3 x 32	25
A2-7981-06,3X045	6,3 x 45	25
A2-7981-06,3X060	6,3 x 60	25




## Self tapping screw cross head, countersunk, UNI 6955 DIN 7982



Code	mm		Code	mm		Code	mm	
A2-7982-02.9X010	2,9 x 10	200	A2-7982-03.9X038	3,9 x 38	100	A2-7982-04.8X032	4,8 x 32	100
A2-7982-02.9X013	2,9 x 13	200	A2-7982-04.2X010	4,2 x 10	200	A2-7982-04.8X038	4,8 x 38	50
A2-7982-02.9X019	2,9 x 19	200	A2-7982-04.2X013	4,2 x 13	200	A2-7982-04.8X045	4,8 x 45	50
A2-7982-03.5X010	3,5 x 10	200	A2-7982-04.2X016	4,2 x 16	200	A2-7982-04.8X050	4,8 x 50	50
A2-7982-03.5X013	3,5 x 13	200	A2-7982-04.2X019	4,2 x 19	100	A2-7982-05.5X016	5,5 x 16	50
A2-7982-03.5X016	3,5 x 16	200	A2-7982-04.2X022	4,2 x 22	100	A2-7982-05.5X022	5,5 x 22	50
A2-7982-03.5X019	3,5 x 19	200	A2-7982-04.2X025	4,2 x 25	100	A2-7982-05.5X032	5,5 x 32	50
A2-7982-03.5X025	3,5 x 25	100	A2-7982-04.2X032	4,2 x 32	100	A2-7982-05.5X038	5,5 x 38	50
A2-7982-03.5X032	3,5 x 32	100	A2-7982-04.2X038	4,2 x 38	100	A2-7982-05.5X050	5,5 x 50	25
A2-7982-03.5X038	3,5 x 38	100	A2-7982-04.2X045	4,2 x 45	100	A2-7982-06.3X019	6,3 x 19	50
A2-7982-03.9X010	3,9 x 10	200	A2-7982-04.2X050	4,2 x 50	50	A2-7982-06.3X025	6,3 x 25	50
A2-7982-03.9X016	3,9 x 16	200	A2-7982-04.8X013	4,8 x 13	100	A2-7982-06.3X032	6,3 x 32	25
A2-7982-03.9X019	3,9 x 19	200	A2-7982-04.8X016	4,8 x 16	100	A2-7982-06.3X045	6,3 x 45	25
A2-7982-03.9X022	3,9 x 22	100	A2-7982-04.8X019	4,8 x 19	100	A2-7982-06.3X060	6,3 x 60	25
A2-7982-03.9X025	3,9 x 25	100	A2-7982-04.8X022	4,8 x 22	100			
A2-7982-03.9X032	3,9 x 32	100	A2-7982-04.8X025	4,8 x 25	100			




## Flat countersunk Phillips-head screws for chipboard panels, wood and plastic - DIN 7505A



Code	mm		Code	mm		Code	mm	
A2-7505A-03X015	3 x 15	100	A2-7505A-04X035	4 x 35	100	A2-7505A-05X050	5 x 50	50
A2-7505A-03X020	3 x 20	100	A2-7505A-04X040	4 x 40	100	A2-7505A-05X060	5 x 60	50
A2-7505A-03X030	3 x 30	100	A2-7505A-04X050	4 x 50	100	A2-7505A-05X070	5 x 70	25
A2-7505A-03.5X015	3,5 x 15	100	A2-7505A-04.5X025	4,5 x 25	100	A2-7505A-05X080	5 x 80	25
A2-7505A-03.5X020	3,5 x 20	100	A2-7505A-04.5X030	4,5 x 30	100	A2-7505A-06X025	6 x 25	50
A2-7505A-03.5X025	3,5 x 25	100	A2-7505A-04.5X035	4,5 x 35	100	A2-7505A-06X030	6 x 30	50
A2-7505A-03.5X030	3,5 x 30	100	A2-7505A-04.5X040	4,5 x 40	100	A2-7505A-06X035	6 x 35	50
A2-7505A-03.5X040	3,5 x 40	100	A2-7505A-04.5X050	4,5 x 50	50	A2-7505A-06X040	6 x 40	50
A2-7505A-04X015	4 x 15	100	A2-7505A-05X025	5 x 25	100	A2-7505A-06X050	6 x 50	50
A2-7505A-04X020	4 x 20	100	A2-7505A-05X030	5 x 30	50	A2-7505A-06X060	6 x 60	25
A2-7505A-04X025	4 x 25	100	A2-7505A-05X035	5 x 35	50	A2-7505A-06X070	6 x 70	25
A2-7505A-04X030	4 x 30	100	A2-7505A-05X040	5 x 40	50	A2-7505A-06X080	6 x 80	25




## Cross-recessed raised countersunk head self-tapping screws - UNI 6956 DIN 7983



Code	mm		Code	mm		Code	mm	
A2-7983-02.9X010	2,9 x 10	200	A2-7983-03.9X038	3,9 x 38	100	A2-7983-04.8X032	4,8 x 32	100
A2-7983-02.9X013	2,9 x 13	200	A2-7983-04.2X010	4,2 x 10	200	A2-7983-04.8X038	4,8 x 38	50
A2-7983-02.9X019	2,9 x 19	200	A2-7983-04.2X013	4,2 x 13	200	A2-7983-04.8X045	4,8 x 45	50
A2-7983-03.5X010	3,5 x 10	200	A2-7983-04.2X016	4,2 x 16	200	A2-7983-04.8X050	4,8 x 50	50
A2-7983-03.5X013	3,5 x 13	200	A2-7983-04.2X019	4,2 x 19	100	A2-7983-05.5X016	5,5 x 16	50
A2-7983-03.5X016	3,5 x 16	200	A2-7983-04.2X022	4,2 x 22	100	A2-7983-05.5X022	5,5 x 22	50
A2-7983-03.5X019	3,5 x 19	200	A2-7983-04.2X025	4,2 x 25	100	A2-7983-05.5X032	5,5 x 32	50
A2-7983-03.5X025	3,5 x 25	100	A2-7983-04.2X032	4,2 x 32	100	A2-7983-05.5X038	5,5 x 38	50
A2-7983-03.5X032	3,5 x 32	100	A2-7983-04.2X038	4,2 x 38	100	A2-7983-05.5X050	5,5 x 50	25
A2-7983-03.5X038	3,5 x 38	100	A2-7983-04.2X045	4,2 x 45	100	A2-7983-06.3X019	6,3 x 19	50
A2-7983-03.9X010	3,9 x 10	200	A2-7983-04.2X050	4,2 x 50	50	A2-7983-06.3X025	6,3 x 25	50
A2-7983-03.9X016	3,9 x 16	200	A2-7983-04.8X013	4,8 x 13	100	A2-7983-06.3X032	6,3 x 32	25
A2-7983-03.9X019	3,9 x 19	200	A2-7983-04.8X016	4,8 x 16	100	A2-7983-06.3X045	6,3 x 45	25
A2-7983-03.9X022	3,9 x 22	100	A2-7983-04.8X019	4,8 x 19	100	A2-7983-06.3X060	6,3 x 60	25
A2-7983-03.9X025	3,9 x 25	100	A2-7983-04.8X022	4,8 x 22	100			
A2-7983-03.9X032	3,9 x 32	100	A2-7983-04.8X025	4,8 x 25	100			




## Hexagon head, wood screw UNI 704 DIN 571



Code	mm		Code	mm		Code	mm	
A2-571-06X030	6 x 30	25	A2-571-08X050	8 x 50	10	A2-571-10X060	10 x 60	10
A2-571-06X040	6 x 40	25	A2-571-08X060	8 x 60	10	A2-571-10X070	10 x 70	10
A2-571-06X050	6 x 50	25	A2-571-08X070	8 x 70	10	A2-571-10X080	10 x 80	10
A2-571-06X060	6 x 60	25	A2-571-08X080	8 x 80	10	A2-571-10X100	10x1000	10
A2-571-06X070	6 x 70	10	A2-571-08X100	8 x 100	10			
A2-571-08X040	8 x 40	10	A2-571-10X050	10 x 50	10			






## Threaded hexagon setscrew UNI 5739 DIN 933

Code	mm	 ORDER BY BOX	Code	mm	 ORDER BY BOX	Code	mm	 ORDER BY BOX
A2-933-04X012	4 x 12	100	A2-933-06X045	6 x 45	50	A2-933-08X080	8 x 80	25
A2-933-04X020	4 x 20	100	A2-933-06X050	6 x 50	50	A2-933-08X100	8 x 100	10
A2-933-04X030	4 x 30	100	A2-933-06X055	6 x 55	25	A2-933-08X120	8 x 120	10
A2-933-04X040	4 x 40	50	A2-933-06X060	6 x 60	25	A2-933-10X040	10 x 40	25
A2-933-05X016	5 x 16	100	A2-933-06X065	6 x 65	25	A2-933-10X050	10 x 50	25
A2-933-05X020	5 x 20	100	A2-933-06X070	6 x 70	25	A2-933-10X060	10 x 60	25
A2-933-05X030	5 x 30	100	A2-933-06X075	6 x 75	25	A2-933-10X080	10 x 80	10
A2-933-05X040	5 x 40	50	A2-933-06X080	6 x 80	25	A2-933-10X100	10 x 100	10
A2-933-05X050	5 x 50	50	A2-933-06X100	6 x 100	10	A2-933-10X120	10 x 120	10
A2-933-06X016	6 x 16	100	A2-933-08X025	8 x 25	25	A2-933-12X045	12 x 45	25
A2-933-06X020	6 x 20	100	A2-933-08X030	8 x 30	25	A2-933-12X060	12 x 60	10
A2-933-06X025	6 x 25	100	A2-933-08X040	8 x 40	25	A2-933-12X080	12 x 80	10
A2-933-06X030	6 x 30	50	A2-933-08X050	8 x 50	25	A2-933-12X100	12 x 100	10
A2-933-06X035	6 x 35	50	A2-933-08X060	8 x 60	25	A2-933-12X120	12 x 120	5
A2-933-06X040	6 x 40	50	A2-933-08X070	8 x 70	25	A2-933-12X150	12 x 150 parz filet	5






## Convex countersunk head machine screw cross recessed UNI 7689 DIN 966

Code	mm	 ORDER BY BOX	Code	mm	 ORDER BY BOX	Code	mm	 ORDER BY BOX
A2-966-03X012	3 x 12	200	A2-966-05X025	5 x 25	50	A2-966-06X040	6 x 40	25
A2-966-03X016	3 x 16	200	A2-966-05X030	5 x 30	50	A2-966-06X045	6 x 45	25
A2-966-03X020	3 x 20	200	A2-966-05X035	5 x 35	50	A2-966-06X050	6 x 50	25
A2-966-03X025	3 x 25	200	A2-966-05X040	5 x 40	50	A2-966-06X060	6 x 60	25
A2-966-03X030	3 x 30	200	A2-966-05X045	5 x 45	25	A2-966-08X030	8 x 30	25
A2-966-04X016	4 x 16	100	A2-966-05X050	5 x 50	25	A2-966-08X040	8 x 40	25
A2-966-04X020	4 x 20	100	A2-966-06X020	6 x 20	50	A2-966-08X050	8 x 50	25
A2-966-04X030	4 x 30	100	A2-966-06X025	6 x 25	50	A2-966-08X060	8 x 60	10
A2-966-04X040	4 x 40	50	A2-966-06X030	6 x 30	50	A2-966-08X070	8 x 70	10
A2-966-05X020	5 x 20	100	A2-966-06X035	6 x 35	50	A2-966-08X080	8 x 80	10






## Machine screw cross head - countersunk, UNI 7688 DIN 965

Code	mm	 ORDER BY BOX	Code	mm	 ORDER BY BOX	Code	mm	 ORDER BY BOX
A2-965-03X012	3 x 12	200	A2-965-05X025	5 x 25	50	A2-965-06X050	6 x 50	25
A2-965-03X016	3 x 16	200	A2-965-05X030	5 x 30	50	A2-965-06X060	6 x 60	25
A2-965-03X020	3 x 20	200	A2-965-05X035	5 x 35	50	A2-965-08X020	8 x 20	25
A2-965-03X025	3 x 25	200	A2-965-05X040	5 x 40	50	A2-965-08X025	8 x 25	25
A2-965-03X030	3 x 30	100	A2-965-05X045	5 x 45	25	A2-965-08X030	8 x 30	25
A2-965-04X016	4 x 16	100	A2-965-05X050	5 x 50	25	A2-965-08X035	8 x 35	25
A2-965-04X020	4 x 20	100	A2-965-06X020	6 x 20	50	A2-965-08X040	8 x 40	25
A2-965-04X025	4 x 25	100	A2-965-06X025	6 x 25	50	A2-965-08X045	8 x 45	25
A2-965-04X030	4 x 30	100	A2-965-06X030	6 x 30	50	A2-965-08X050	8 x 50	25
A2-965-04X035	4 x 35	50	A2-965-06X035	6 x 35	50	A2-965-08X060	8 x 60	10
A2-965-04X040	4 x 40	50	A2-965-06X040	6 x 40	25	A2-965-08X070	8 x 70	10
A2-965-05X020	5 x 20	100	A2-965-06X045	6 x 45	25	A2-965-08X080	8 x 80	10



## machine screw, slot head - countersunk UNI 6109 DIN 963


Code	mm	 ORDER BY BOX	Code	mm	 ORDER BY BOX	Code	mm	 ORDER BY BOX
A2-963-03X012	3 x 12	200	A2-963-05X025	5 x 25	100	A2-963-06X060	6 x 60	25
A2-963-03X016	3 x 16	200	A2-963-05X030	5 x 30	100	A2-963-06X070	6 x 70	25
A2-963-03X020	3 x 20	200	A2-963-05X035	5 x 35	50	A2-963-06X080	6 x 80	10
A2-963-03X025	3 x 25	200	A2-963-05X040	5 x 40	50	A2-963-06X100	6 x 100	10
A2-963-03X030	3 x 30	100	A2-963-05X045	5 x 45	50	A2-963-06X120	6 x 120	5
A2-963-03X040	3 x 40	50	A2-963-05X050	5 x 50	25	A2-963-08X030	8 x 30	25
A2-963-04X016	4 x 16	100	A2-963-05X060	5 x 60	25	A2-963-08X040	8 x 40	25
A2-963-04X020	4 x 20	100	A2-963-06X020	6 x 20	100	A2-963-08X050	8 x 50	25
A2-963-04X025	4 x 25	100	A2-963-06X025	6 x 25	50	A2-963-08X060	8 x 60	10
A2-963-04X030	4 x 30	100	A2-963-06X030	6 x 30	50	A2-963-08X070	8 x 70	10
A2-963-04X035	4 x 35	50	A2-963-06X035	6 x 35	50	A2-963-08X080	8 x 80	10
A2-963-04X040	4 x 40	50	A2-963-06X040	6 x 40	50	A2-963-08X100	8 x 100	5
A2-963-04X050	4 x 50	25	A2-963-06X045	6 x 45	25	A2-963-08X120	8 x 120	5
A2-963-05X020	5 x 20	100	A2-963-06X050	6 x 50	25			

## Machine screw - Cheese head with slot UNI 6107 DIN 84



Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX
A2-84-03X012	3 x 12	200	A2-84-05X025	5 x 25	100	A2-84-06X040	6 x 40	50
A2-84-03X016	3 x 16	200	A2-84-05X030	5 x 30	50	A2-84-06X045	6 x 45	25
A2-84-03X020	3 x 20	200	A2-84-05X035	5 x 35	50	A2-84-06X050	6 x 50	25
A2-84-03X030	3 x 30	100	A2-84-05X040	5 x 40	50	A2-84-06X060	6 x 60	25
A2-84-03X040	3 x 40	50	A2-84-05X045	5 x 45	50	A2-84-06X070	6 x 70	25
A2-84-04X016	4 x 16	200	A2-84-05X050	5 x 50	25	A2-84-06X080	6 x 80	10
A2-84-04X020	4 x 20	100	A2-84-05X060	5 x 60	25	A2-84-08X030	8 x 30	25
A2-84-04X030	4 x 30	100	A2-84-06X020	6 x 20	50	A2-84-08X040	8 x 40	25
A2-84-04X040	4 x 40	50	A2-84-06X025	6 x 25	50	A2-84-08X050	8 x 50	25
A2-84-04X050	4 x 50	50	A2-84-06X030	6 x 30	50	A2-84-08X060	8 x 60	10
A2-84-05X020	5 x 20	100	A2-84-06X035	6 x 35	50	A2-84-08X080	8 x 80	10

## Machine screw - Large cheese head - cross head - round UNI 7687 DIN 7985



Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX
A2-7985-04X020	4 x 20	100	A2-7985-05X045	5 x 45	25	A2-7985-08X030	8 x 30	25
A2-7985-04X025	4 x 25	100	A2-7985-05X050	5 x 50	25	A2-7985-08X035	8 x 35	25
A2-7985-04X030	4 x 30	100	A2-7985-06X020	6 x 20	50	A2-7985-08X040	8 x 40	25
A2-7985-04X035	4 x 35	50	A2-7985-06X025	6 x 25	50	A2-7985-08X045	8 x 45	25
A2-7985-04X040	4 x 40	50	A2-7985-06X030	6 x 30	50	A2-7985-08X050	8 x 50	25
A2-7985-05X020	5 x 20	50	A2-7985-06X035	6 x 35	50	A2-7985-08X060	8 x 60	10
A2-7985-05X025	5 x 25	50	A2-7985-06X040	6 x 40	25	A2-7985-08X070	8 x 70	10
A2-7985-05X030	5 x 30	50	A2-7985-06X045	6 x 45	25	A2-7985-08X080	8 x 80	10
A2-7985-05X035	5 x 35	50	A2-7985-06X050	6 x 50	25			
A2-7985-05X040	5 x 40	50	A2-7985-06X060	6 x 60	25			

## Socket head cap screw UNI 5931 DIN 912



Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX
A2-912-04X010	4 x 10	50	A2-912-05X040	5 x 40	50	A2-912-08X016	8 x 16	25
A2-912-04X016	4 x 16	50	A2-912-05X050	5 x 50	25	A2-912-08X020	8 x 20	25
A2-912-04X020	4 x 20	50	A2-912-05X060	5 x 60	25	A2-912-08X030	8 x 30	25
A2-912-04X030	4 x 30	50	A2-912-06X016	6 x 16	50	A2-912-08X040	8 x 40	25
A2-912-04X040	4 x 40	50	A2-912-06X020	6 x 20	50	A2-912-08X050	8 x 50	25
A2-912-05X010	5 x 10	50	A2-912-06X030	6 x 30	50	A2-912-08X060	8 x 60	25
A2-912-05X016	5 x 16	50	A2-912-06X040	6 x 40	50	A2-912-08X080	8 x 80	10
A2-912-05X020	5 x 20	50	A2-912-06X050	6 x 50	25			
A2-912-05X030	5 x 30	50	A2-912-06X060	6 x 60	25			

## Hexagon nut UNI 5588 DIN 934



Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX
A2-934-03	3	200	A2-934-06	6	100	A2-934-12	12	25
A2-934-04	4	200	A2-934-08	8	100	A2-934-14	14	25
A2-934-05	5	200	A2-934-10	10	50	A2-934-16	16	25

## Self locking hexagon nut DIN 982



Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX
A2-982-04	4	50	A2-982-08	8	50	A2-982-14	14	10
A2-982-05	5	50	A2-982-10	10	25	A2-982-16	16	10
A2-982-06	6	50	A2-982-12	12	10			

## Domed cap hexagon nut UNI 5721 DIN 1587



Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX	Code	mm	ORDER BY BOX
A2-1587-04	Ø 4	25	A2-1587-08	Ø 8	25	A2-1587-14	Ø 14	5
A2-1587-05	Ø 5	25	A2-1587-10	Ø 10	10	A2-1587-16	Ø 16	5
A2-1587-06	Ø 6	25	A2-1587-12	Ø 12	10			





## Wing nut UNI 5448 DIN 315

Code	mm	ORDER BY BOX
A2-315-04	Ø 4	25
A2-315-05	Ø 5	25

Code	mm	ORDER BY BOX
A2-315-06	Ø 6	25
A2-315-08	Ø 8	10

Code	mm	ORDER BY BOX
A2-315-10	Ø 10	10
A2-315-12	Ø 12	10



## Washer UNI 6592 DIN 125

Code	mm	ORDER BY BOX
A2-125-03	Ø 3	200
A2-125-04	Ø 4	200
A2-125-05	Ø 5	200

Code	mm	ORDER BY BOX
A2-125-06	Ø 6	200
A2-125-08	Ø 8	200
A2-125-10	Ø 10	100

Code	mm	ORDER BY BOX
A2-125-12	Ø 12	50
A2-125-14	Ø 14	25
A2-125-16	Ø 16	25



## Washer x 3 nominal diameter

Code	mm	ORDER BY BOX
A2-9021A-03X009	Ø 3 x 9	200
A2-9021A-04X012	Ø 4 x 12	200
A2-9021A-05X015	Ø 5 x 15	200

Code	mm	ORDER BY BOX
A2-9021A-06X018	Ø 6 x 18	100
A2-9021A-08X024	Ø 8 x 24	50
A2-9021A-10X030	Ø 10x30	25

Code	mm	ORDER BY BOX
A2-9021A-12X036	Ø 12x36	25
A2-9021A-14X042	Ø 14x42	10
A2-9021A-16X048	Ø 16x48	10



## Washer x 4 nominal diameter

Code	mm	ORDER BY BOX
A2-9021B-03X012	Ø 3 x 12	100
A2-9021B-04X016	Ø 4 x 16	100
A2-9021B-05X020	Ø 5 x 20	50

Code	mm	ORDER BY BOX
A2-9021B-06X024	Ø 6 x 24	50
A2-9021B-08X032	Ø 8 x 32	25
A2-9021B-10X040	Ø 10x40	25

Code	mm	ORDER BY BOX
A2-9021B-12X048	Ø 12x48	10
A2-9021B-14X056	Ø 14x56	10
A2-9021B-16X064	Ø 16x64	5



## Grower Washer, UNI 1751 DIN 127

Code	mm	ORDER BY BOX
A2-127-04	Ø 4	200
A2-127-05	Ø 5	200

Code	mm	ORDER BY BOX
A2-127-06	Ø 6	200
A2-127-08	Ø 8	100

Code	mm	ORDER BY BOX
A2-127-10	Ø 10	50
A2-127-12	Ø 12	50



## Serra ted lock washer DIN 6798

Code	mm	ORDER BY BOX
A2-6798-04	Ø 4	200
A2-6798-05	Ø 5	100

Code	mm	ORDER BY BOX
A2-6798-06	Ø 6	100
A2-6798-08	Ø 8	50

Code	mm	ORDER BY BOX
A2-6798-10	Ø 10	50
A2-6798-12	Ø 12	25



## Split pin UNI 1336 DIN 94

Code	mm	ORDER BY BOX
A2-94-01.5X025	1,5 x 25	100
A2-94-01.5X030	1,5 x 30	100
A2-94-02X035	2 x 35	100
A2-94-02X040	2 x 40	100

Code	mm	ORDER BY BOX
A2-94-02.5X030	2,5 x 30	50
A2-94-03X050	3 x 50	50
A2-94-03.5X040	3,5 x 40	50
A2-94-04X050	4 x 50	25

Code	mm	ORDER BY BOX
A2-94-04.5X050	4,5 x 50	25
A2-94-05X060	5 x 60	25



## Threaded rod, 1 m, DIN 975

Code	mm
37.418.05	Ø 5
37.418.06	Ø 6
37.418.08	Ø 8

Code	mm
37.418.10	Ø 10
37.418.12	Ø 12
37.418.14	Ø 14

Code	mm
37.418.16	Ø 16

## Fixing parts: pins, clamps and screw covers

### Drop nose pin

Stainless steel clevis pin with with spring loaded locking mechanism.

Code	Size mm	Code	Size mm	Code	Size mm
37.107.01	6x15	37.107.04	8x35	37.107.07	10x25
37.107.02	6x25	37.107.05	10x35		
37.107.03	8x20	37.107.06	10x45		



### Drop nose pins

Made of stainless steel; with spring locking mechanism and safety tooth.



▲ 37.266.xx; 37.268.xx;  
37.270.xx (Type A)

▲ 37.267.xx; 37.269.xx;  
37.271.xx (Type B)

Net length "L" mm	Ø 6 mm Type A	Ø 6 mm Type B	Ø 8 mm Type A	Ø 8 mm Type B	Ø 10 mm Type A	Ø 10 mm Type B
20	-	37.267.20	-	37.269.20	-	-
30	37.266.30	37.267.30	37.268.30	37.269.30	37.270.30	37.271.30
40	37.266.40	37.267.40	37.268.40	37.269.40	37.270.40	37.271.40
42	37.266.42	-	-	-	-	-
50	37.266.50	37.267.50	37.268.50	37.269.50	37.270.50	37.271.50
60	37.266.60	-	37.268.60	37.269.60	37.270.60	37.271.60
80	-	-	37.268.80	37.269.80	37.270.80	37.271.80
100	-	-	-	-	-	37.271.10

Suitable to fasten "Laser" vangs.

### Stainless steel clevis pins

Multipurpose, split ring not included.

Code	Ø mm	Length mm	Code	Ø mm	Length mm	Code	Ø mm	Length mm
37.106.18A	4	10	37.106.20B	5	15	37.106.21C	6	20
37.106.18B	4	15	37.106.20C	5	20	37.106.21D	6	25
37.106.18C	4	25	37.106.21A	6	10	37.106.22	7	15
37.106.20A	5	10	37.106.21B	6	15	37.106.23	8	20



### Stainless steel ring


Code	Size mm
37.106.01	13x0,8
37.106.02	17x1
37.106.03	18x1,2



### Stainless steel self-locking pin with double bearing lock

Fitted with **spring balls** on one end and ring on the other end; ideal for tent forks (46.662.00; 46.662.20; 46.662.22; 46.653.20; 46.653.22) boarding ladders, boom fittings, anchor locks etc.. and wherever safety is required without having to fasten screws.

Code	Ø mm	Length mm		ORDER BY BOX
		tot.	usable	
37.264.10	6	25	12	10
37.264.15	6	38	25	10
37.264.20	6	51	38	10
37.264.25	6	64	51	10
37.264.30	6	76	64	10



### Nylon tarpaulin lacing buttons

Available in colors black or white.

Code	Type	Colour	ORDER BY BOX
37.256.10BI	With 4,5-mm hole	<input type="checkbox"/> White	100
37.256.10NE	With 4,5-mm hole	<input checked="" type="checkbox"/> Black	100
37.256.50BI	With ball*	<input type="checkbox"/> White	100
37.256.50NE	With ball*	<input checked="" type="checkbox"/> Black	100




\* Specially suited to be used with **elastic** cable.



### AISI 316 stainless steel lacing button for tarpaulin

**AISI 316** Available in 4 different shapes.

Code	Length mm	Hole mm	Head
37.321.10	10	5	normal
37.321.13	13	5	normal
37.321.15	19	4	normal
37.321.17	12,5	4	large Ø mm 19



### Adjustable cover tensioner to be sewn

Soft plastic buckle with nylon weft to tension covers.  
To be used with pins 37.256.xx/37.321.xx.

Code	mm
37.319.00	180x55x25



### "Shore Caps"

Under screw rims fitted with snap-on cover; head-cover attached to the base.


Color			For screw Ø mm	ORDER BY BOX
white	black	teak		
37.339.01	37.339.02	37.339.03	3,5/4,2	500



### "Snap Caps"

Genuine USA washers, fitted with snap-on caps; made of **UV resistant polypropylene**, stabilized, guaranteed, high-quality finish, watertight and anti-corrosive; for self-tapping into wood or metal.

Edging color				For screw Ø mm	ORDER BY BOX
white	light gray	black	teak		
37.340.01	37.340.04	37.340.02	37.340.03	3,5-4,2	1000
37.341.01	37.341.04	37.341.02	37.341.03	4,8-6	1000



### "Tap-Caps"


Genuine US white nylon caps; for Phillips self-tapping screws DIN 7982 3,5/3,9/4,2/4,8mm or machine screws DIN 965 4/5mm.

Code	screw cover Ø mm	ORDER BY BOX
37.342.00	12	1000



### Under-screw washers

Hole mm	nylon white		nylon black		chromed brass	external Ø mm	ORDER BY BOX
	external Ø mm	external Ø mm	external Ø mm	external Ø mm			
4	37.322.04BI	13	37.322.04NE	15	37.323.04	12	100
5	37.322.05BI	15	37.322.05NE	15	-	15	100



### Glass stop spacers for windscreen fixing

Code	Color	ORDER BY BOX
37.350.01	White	100
37.350.02	Black	100

## OSCOLATI



### Special bayonet locks, suitable for mounting kits

Code	Description
37.331.00	Special bayonet holders made of <b>stainless steel</b> , designed for floor plates, fitted with one bushing to be screwed and one conical bayonet screw that locks the floor plate; universal size or floor plates size 8/15 (thickness)

### Nylon clamps

To be fixed to pulpits or stanchions as hooking point for plates, straps, elastics, etc.  
It comes with screws.

Code	For pipes mm
37.175.81	22/25



### AISI 316 mirror polished stainless steel clamps

**AISI 316** Suitable as point of strength to mount accessories into pulpits or A-Frames, also hold any type of heavy accessories.

Code	For pipe size mm	hole wheelbase mm
37.261.01	20/22/25	31.5
37.261.02	30/35/40	31.5



### Stainless steel plate

To pair with items 37.175.81 and 37.261.01.

Code	Size mm
37.260.83	44x44
37.260.84	19x51



### Stainless steel hooks

Code	Type
37.251.80	"Sea Sure" grapnel type
37.290.00	canvas holder and for various uses
37.290.01	canvas holder and for various uses, curved base for pipe Ø mm 40/70



### Stainless steel stud with standard head

Fitted with stainless steel nail.

Ø mm	Length mm	1000-piece box	500-piece box	100-piece display bag
4	10	37.218.01	-	37.221.01
4	12	37.218.11	-	37.221.11
4	13	-	-	37.221.02
4	14	37.218.03	-	37.221.13
4	16	-	37.220.03	37.221.03
4.8	10	-	37.220.04	37.221.04
4.8	12	-	37.220.12	37.221.12
4.8	13	-	37.220.05	-
4.8	14	-	37.220.14	37.221.14
4.8	16	-	37.220.06	37.221.06
4.8	20	-	37.218.05	-



▲ 37.221.xx