

## Clam cleats

### CLAMCLEATS Mini plas

For sheets up to 6 mm.


| Code      | For sheets mm | Manufacturer's code | Material  |
|-----------|---------------|---------------------|-----------|
| 56.204.05 | 3/6           | (CL204)             | nylon     |
| 56.222.00 | 3/6           | (CL222)             | aluminium |



### CLAMCLEATS Fine

For sheets up to 6 mm.


| Code      | For sheets mm | Manufacturer's code | Material  | Notes                   |
|-----------|---------------|---------------------|-----------|-------------------------|
| 56.213.04 | 3/6           | (CL213)             | nylon     | right                   |
| 56.214.04 | 3/6           | (CL214)             | nylon     | left                    |
| 56.258.00 | 3/6           | (CL258)             | aluminium | left - ideal for sails  |
| 56.259.00 | 3/6           | (CL259)             | aluminium | right - ideal for sails |



### CLAMCLEATS Trapeze Silver

Racing version with roller. For sheets up to 6 mm.

| Code      | For sheets mm | Manufacturer's code | Material  | Notes                |
|-----------|---------------|---------------------|-----------|----------------------|
| 56.230.00 | 3/6           | (CL230)             | aluminium | with low roll        |
| 56.236.00 | 3/6           | (CL236)             | aluminium | with high roll       |
| 56.253.01 | 3/6           | (CL253)             | aluminium | for trapez and vang. |
| 56.253.02 | 3/6           | (CL253AN)           | aluminium | hard black oxidation |



### CLAMCLEATS Sail Line Ali

For racing sail sheets up to 6 mm.


| Code      | For sheets mm | Manufacturer's code | Material  | Notes           |
|-----------|---------------|---------------------|-----------|-----------------|
| 56.241.00 | 3/6           | (CL241)             | aluminium | ideal for sails |



### CLAMCLEATS Micro

For sheets up to 4 mm.


| Code      | For sheets mm | Manufacturer's code | Material |
|-----------|---------------|---------------------|----------|
| 56.263.00 | 1/4           | (CL263)             | nylon    |



**CLAMCLEATS Junior Ali Silver**

For sheets up to 6 mm.


| Code      | For sheets mm | Manufacturer's code | Material  | Notes                |
|-----------|---------------|---------------------|-----------|----------------------|
| 56.211.18 | 3/6           | (CL211MK2)          | aluminium | -                    |
| 56.211.38 | 3/6           | (CL211MK2AN)        | aluminium | black hard oxidation |



**CLAMCLEATS Junior**

For sheets up to 6 mm.


| Code      | For sheets mm | Manufacturer's code | Material  | Notes                |
|-----------|---------------|---------------------|-----------|----------------------|
| 56.203.08 | 3/6           | (CL203)             | nylon     | -                    |
| 56.211.08 | 3/6           | (CL211MK1)          | aluminium | -                    |
| 56.211.28 | 3/6           | (CL211MK1AN)        | aluminium | hard black oxidation |
| 56.702.00 | 3/6           | (CL702)             | aluminium | for boom             |
| 56.704.00 | 3/6           | (CL704)             | aluminium | for boom + becket    |



**New Ropestop cam cleat**

V-shaped cam cleat for rope up to 6 mm.

| Code      | For sheets mm | Material | Colour |
|-----------|---------------|----------|--------|
| 56.205.08 | 3/6           | Nylon    | Black  |



**CLAMCLEATS Side Silver**

With side entry. For sheets up to 6 mm.


| Code      | For sheets mm | Manufacturer's code | Material  | Notes |
|-----------|---------------|---------------------|-----------|-------|
| 56.217.00 | 3/6           | (CL217MK1)          | aluminium | right |
| 56.218.00 | 3/6           | (CL218MK1)          | aluminium | left  |



**CLAMCLEATS Side Silver Compact**

With side entry failed. For sheets up to 6 mm.


| Code      | For sheets mm | Manufacturer's code | Material  | Notes |
|-----------|---------------|---------------------|-----------|-------|
| 56.217.01 | 3/6           | (CL217MK2)          | aluminium | right |
| 56.218.01 | 3/6           | (CL218MK2)          | aluminium | left  |



**CLAMCLEATS Loop**

Movable version for tensioning ropes.


| Code      | For sheets mm | Manufacturer's code | Material | Notes                         |
|-----------|---------------|---------------------|----------|-------------------------------|
| 56.223.00 | 3-6           | (CL223)             | nylon    | ideal for loops and fastening |
| 56.234.00 | 6/12          | (CL234)             | nylon    | ideal for loops and fastening |



**CLAMCLEATS Line - Lok**

For sheets up to 5 mm.

| Code      | For sheets mm | Manufacturer's code | Material | Notes                         |
|-----------|---------------|---------------------|----------|-------------------------------|
| 56.260.00 | 2-5           | (CL260)             | nylon    | ideal for loops and fastening |



**CLAMCLEATS Windsurfing Boom**

With support for fastening to the boom. For sheets up to 6 mm.


| Code      | For sheets mm | Manufacturer's code | Material  | Notes         |
|-----------|---------------|---------------------|-----------|---------------|
| 56.235.00 | 3/6           | (CL244)             | aluminium | for surf boom |



**CLAMCLEATS Midi**

For sheets up to 8 mm.


| Code      | For sheets mm | Manufacturer's code | Material  | Notes       |
|-----------|---------------|---------------------|-----------|-------------|
| 56.209.08 | 4/8           | (CL209)             | nylon     | -           |
| 56.231.00 | 4/8           | (CL231)             | nylon     | with U-bolt |
| 56.254.00 | 4/8           | (CL254)             | aluminium | -           |



**CLAMCLEATS Lat**

For side fastening. For sheets up to 10 mm.


| Code      | For sheets mm | Manufacturer's code | Material | Notes |
|-----------|---------------|---------------------|----------|-------|
| 56.206.10 | 6/10          | (CL206)             | nylon    | right |
| 56.207.10 | 6/10          | (CL207)             | nylon    | left  |



**CLAMCLEATS Vertical**

For sheets up to 12 mm.


| Code      | For sheets mm | Manufacturer's code | Material  |
|-----------|---------------|---------------------|-----------|
| 56.201.10 | 6/12          | (CL201)             | nylon     |
| 56.201.11 | 6/12          | (CL219)             | aluminium |



**CLAMCLEATS Major**

For sheets up to 16 mm.

| Code      | For sheets mm | Manufacturer's code | Material |
|-----------|---------------|---------------------|----------|
| 56.202.16 | 10/16         | (CL205)             | nylon    |



**CLAMCLEATS Autoreleas**

Made of aluminium with acetal base; **self-locking** when the load exceeds the maximum allowed; ideal for locking/unlocking the wheel's blade in case of obstacles or burying.


| Code      | Ropes mm |
|-----------|----------|
| 56.257.00 | 4/6      |





**Sheet fairlead for CLAMCLEATS**

56.814.00 It matches 56.203.08; 56.211.08/28; 56.217.00; 56.218.00; 56.236.00. It avoids the sheet to release accidentally but it can also let the sheet glide freely.



**Alloy cam cleat on ball bearings**

56.253.00 Made of anodized aluminium, fitted with jaws mounted on Delrin balls. 64 x 30 mm base, for 5- to 12-mm lines.



**Fiber cam cleat on ball bearing**


Made of carbon fiber on ball bearings, very sturdy and light.

| Code      | Suitable for lines mm | mm                                    | Pillar fairlead for cleats OPTIONAL |
|-----------|-----------------------|---------------------------------------|-------------------------------------|
| 56.025.10 | 3/8                   | 47x23x20                              | 56.025.14                           |
| 56.025.32 | 5/14                  | 64x30x28                              | 56.025.44                           |
| 56.025.11 | 3/8                   | 47x23x20 with anodized aluminium jaws | 56.025.14                           |

**Coloured bridges**




| Code      | For cleats | Color  | Code      | For cleats | Color  |
|-----------|------------|--------|-----------|------------|--------|
| 56.025.15 | 56.025.10  | black  | 56.085.45 | 56.025.32  | black  |
| 56.025.16 | 56.025.10  | red    | 56.085.46 | 56.025.32  | red    |
| 56.025.17 | 56.025.10  | yellow | 56.085.47 | 56.025.32  | yellow |
| 56.025.18 | 56.025.10  | blue   | 56.085.48 | 56.025.32  | blue   |



| Code      | Description   |
|-----------|---|
| 56.318.00 | Upper wire fairlead for cam cleat 56.025.10                   |
| 56.319.00 | Upper wire fairlead for cam cleat 56.253.00; 56.025.32        |
| 56.254.20 | Wire Fairlead in stainless steel for 56.253.00                |
| 56.254.21 | Low profile Stainless steel fairlead for 56.253.00; 56.025.32 |
| 56.254.40 | Angled Base in delrin for 56.253.00                           |
| 56.254.10 | Flat Base in delrin for 56.253.00                             |



**CLEAT SPRING SERVO**



**Usage and mounting instructions**

**PICTURE 1** - a special device keeps the jaw on the axis, at the point where they shall be. This guarantees an easy mounting as the clam cleat does not strip.

**PICTURE 2** - The Delrin jaws have a special indent made of polished stainless steel, therefore it does not require any type of maintenance and has a long lasting life. The indent is made without joints and the surface has a polished finish to provide maximum protection on the sheet; this instrument combines lightweight with the sturdiness of stainless steel.

**PICTURE 3** - Position the sheet in vertical position, the jaws shall snap in automatically. Unlike other ones that have to be opened, the indent of the jaws, when inclined forward on the upper part, transform the vertical pressure of sheet (A) in a swivelling movement of jaws (B) (patented). This ensures maximum functionality; no other clam cleat has this special feature.



**"Servo 11"**

Fitted with sheet fairlead (see picture) and screws, packed in clear bags with display packaging

| Code      | Suitable for lines mm | On center mm | Height mm |
|-----------|-----------------------|--------------|-----------|
| 56.011.00 | 3/8                   | 27           | 18        |

“Servo 22”

Fitted with screws, packed in clear bags with display packaging.

| Code      | Suitable for lines mm | On center mm | Height mm |
|-----------|-----------------------|--------------|-----------|
| 56.022.00 | 6/12                  | 42           | 22        |
| 56.022.01 | 6/12                  | 40           | 22        |
| 56.022.02 | 6/12                  | 37           | 22        |



“Servo 33”

Fitted with screws, packed in clear bags with display packaging.

| Code      | Suitable for lines mm | On center mm | Height mm |
|-----------|-----------------------|--------------|-----------|
| 56.033.00 | 10/14                 | 52           | 31        |



“Servo 44”

Sliding features, flat built without plastic base and oversized axis, fitted with screws.

| Code      | Suitable for lines mm | On center mm | Height mm |
|-----------|-----------------------|--------------|-----------|
| 56.014.00 | 10/14                 | 52           | 27        |



Sheet guide for Servo 22

56.022.10 Optional (lower guide as per picture Servo 11), positioned under the clamp.



Over sheet fairlead

Horizontal, fitted with plates.


| Code      | For servo | On center mm |
|-----------|-----------|--------------|
| 56.022.40 | 22        | 40           |
| 56.022.33 | 33/44     | 52           |



AISI316 stainless steel clam cleats

**AISI 316** Made of precision-cast AISI 316 stainless steel, fitted with conic locking teeth, mirror polished finish.

| Code      | For ropes mm | Material | A mm | B mm | C mm |
|-----------|--------------|----------|------|------|------|
| 56.304.06 | 3/6          | AISI 316 | 82   | 66   | 18   |
| 56.305.06 | 3/6          | AISI 316 | 55   | 27   | 17   |
| 56.306.06 | 3/6          | AISI 316 | 48   | 36   | 15   |



OSCOLATI



Downhaul and towers

Cam cleat swivel base



Made of anodized aluminium with ball bearing cam cleat.

| Code      | For blocks            |
|-----------|-----------------------|
| 56.266.00 | 55,026/029/030/031,xx |

Low cam cleat swivel base



Fitted with fairlead and aluminium ball clam cleat.

| Code      | Max sheet size mm |
|-----------|-------------------|
| 56.268.00 | 8                 |

Tripping line



Made of stainless steel, extra sturdy, Italian product.

| Code      | For rope mm |
|-----------|-------------|
| 56.314.10 | 5/7         |